# SITE HEALTH AND SAFETY PLAN (HASP)

Office: Site Name: Client: Work Location: WO#:

Dallas, Texas
Jackpile Mine Site Investigation
U.S. EPA
Paguate, Cibola County, New Mexico
20406.012.019.0514.01



This page is NOT a locked form and it to be used for electronic signatures only. Please be certain to complete the information necessary in the first two (2) blocks on the following page if you use this area. All information may be entered electronically but you cannot tab through the table. Double check boxes and follow prompt to show checkmark. Then paste your signature (from a pdf file) in the signature box.

	SIT	E HEALTH A	AND SAFET	Y PLAN (HASP)			
		Review and	Approval Doc	umentation:			
Reviewed by: DSM	Sam Name (Print)	Cheek	Signature			Date:	
Other	Name (Print)		Signature		_ [	Date:	
Approved by: Project Manager	Jeff Criner Name (Print)		Signature			Date:	
	Н	azard Assessn	nent and Equi	pment Selection:		Avena	
personnel beginning protective equipmento Safety Officer Ma	g work, the SHS nt selection outl anual Section 2,	SC and/or the Site ined within this Harrisonal Protect	Manager have e ASP is appropria ion Program, for		verified or exp	i that th ected to	e personal o exist. (Refer
⊠ FSO	Michelle Brov Name	vn	Signature	ichkfre	***************************************	Date:	2/24/10
Site Manager	Michelle Brov Name	<u>vn</u> .	Signature	MARINANDO UDO DE LUCESTANO SANTIGENE COMPETITA CONTROL PER L'ALTERNATION DE L'ALTERNATION DE L'ALTERNATION DE		Date:	
		**************************************					
Environmental of Officer		Michelle Brown Name		Signature	<del></del>	Date:	
		Michelle Brown Name		Signature		Date:	
Project start date: F	•	This site HASF reissued/reap activities condu	proved for any	Amendment date(s)  1. 2. 3.	By:		
				5.			

SITE HEALTH AN	ID SAFETY PLAN (HASP)
Prepared by: Robert Schoenfelder V	7.O. Number: 20406.012.019.0514.01   Date: 02/11/10
Project Identification TDD No. TO-0019-10-02-02 Office: DTX Site Name: Jackpile Mine Site Investigation Client: U.S. EPA Paguate, Cibola County, Work Location Address: Mexico	Site History: Jackpile-Paguate is a former open pit uranium mine located in the Laguna Indian reservation. The mine operated from 1953 through 1982 and is approximately 7,868 acres in size.
Scope of Work: Collect soil sample from the mine area an	d surface water/sediment samples along the surface water pathway.
	e used for HRS scoring purposes. Take field notes and photodocument.
Site visit only; site HASP not necessary. List person	nnel here and sign off below:
D. C.	
Site regulatory status:	ulatory Status: Safety Officer Manual (Required to be On-Site)
CERCLA/SARA RCRA Other Federal Agency	Based on the Hazard Assessment and Regulatory Status, determine the Standard
☑ U.S. EPA ☐ DOE	HASP(s) applicable to this project. Indicate below which Standard HASP will be used and append the appropriate pages of this form along with the Standard Plan.
□State □ USACE	☐ Stack Test
☐ NPL Site NRC ☐ Air Force	☐ Air Emissions
☐ OSHA 🛛 10 CFR 20 🗌	Asbestos
Hazard Communication (Req'd See Attachment D)  ☑ 1910   ☑ 1926   ☐ State	☐ Industrial Hygiene ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
Driving is one of the most hazardous and frequent activehicle(s) authorized for use on this project is/are:  1. Full sized SUV/truck (4x4)  2.  3.  4.	sessment and Selection vities for WESTON Employees. The most appropriate type
The following Project Team Member's qualifications ar found to be acceptable (indicate vehicle type(s) number 1. James Beavis(1) 2. Tori Gomez(1) 3. Mendy Luetke(1) 4. Donna Klein(1) 5. Jennifer Peters(1) 6. 7. 8. 9. 10.	id experience in driving these types of vehicles was evaluated and er next to employee name).
The project site was evaluated and a Traffic Control F	Plan ☐ is required ☐ is not required.

### **TABLE OF CONTENTS**

Se	ection	Page
1.	PERSONNEL ON SITE INFORMATION	1-1
	1.1 WESTON REPRESENTATIVES	1-1
	1.2 WESTON SUBCONTRACTORSError! Bookmark not de	fined.
	1.3 SITE PERSONNEL AND CERTIFICATION STATUS	1-2
	1.3.1 Weston Employee Certification	1-2
	1.3.2 Subcontractor's Health and Safety Program Evaluation I	Error!
	Bookmark not defined.	
2.	HEALTH AND SAFETY EVALUATION	2-3
	2.1 HEALTH AND SAFETY EVALUATION	2-4
	2.1.1 Task Hazard Assessment	2-4
	2.1.2 Chemical Hazards of Concern	2-5
	2.1.3 Biological Hazards of Concern	2-6
	2.1.4 Radiation Hazards of Concern	
	2.1.5 Physical Hazards of Concern	
3.	TASK BY TASK ASSESMENT	3-1
	3.1 TASK-BY-TASK RISK ASSESSMENT	
	3.1.1 Task 1 Description	
	3.1.2 Task 2 Description	3-3
	3.1.3 Task 3 Description	3-4
	3.1.4 Task 4 DescriptionError! Bookmark not de	fined.
	3.1.5 Task 4 DescriptionError! Bookmark not de	fined.
	3.2 PERSONNEL PROTECTION PLAN	3-5
	3.3 DESCRIPTION OF LEVELS OF PROTECTION	
4.	MONITORING PROGRAM	4-1
	4.1.1 Air Monitoring Instruments	
	4.1.1 Air Monitoring Instruments Calibration Record	
	4.2 SITE AIR MONITORING PROGRAM	
	4.3 ACTION LEVELS	
5.	HOSPITAL INFORMATION	5-1
	5.1 CONTINGENCIES	
	5.1.1 Emergency Contacts and Phone Numbers	
	5.1.2 Hospital Map	5-5
	5.1.3 Response Plans	5-6
6.	DECONTAMINATION PLAN	6-1
	6.1 GENERAL DECONTAMINATION PLAN	
	6.2 LEVEL D DECONTAMINATION PLAN	
•	6.3 LEVEL C DECONTAMINATION PLAN Error! Bookmark not de	fined.
	6.4 LEVEL B DECONTAMINATION PLANError! Bookmark not de	
7.	TRAINING AND BRIEFING TOPICS/SIGN OFF SHEET	7-1
	7.1 TRAINING AND BRIEFING TOPICS	7-2
	7.2 HEALTH AND SAFETY PLAN APPROVAL/SIGNOFF FORM	7-3

# **ATTACHMENTS**

ATTACHMENT A Chemical Contaminants Data Sheets

ATTACHMENT B Material Safety Data Sheets

ATTACHMENT C Safety Procedures/Field Operating Procedures (FLD Ops)

ATTACHMENT D Hazard Communication Program

ATTACHMENT E Air Sampling Data Sheets

ATTACHMENT F Incident Reporting.

ATTACHMENT G AHA Checklist and Environmental Compliance

ATTACHMENT H Site Audit Forms

1. PERSONNEL ON SITE INFORMATION

O-manipuls - /D		EPRESENTATIVE	
Organization/Branch OTX	Name/Title  Michelle Brown/Project Lead	Address 14160 Dallas Pkwy.	Telephone 469-374-7700
	James Beavis	Suite 850	-100/01/4 77/00
	Melinda Luetke	Dallas, TX 75244-6131	
STX	Tori Gomez  Donna Klein	70 NE loop 410,	210-308-4300
	Jennifer Peters	San Antonio, TX 78216	210-300-4300
ABQ	Robert Schoenfelder, CHP	3840 Commons Ave. Albuquerque, NM 87109	505-837-6556
· · · · · · · · · · · · · · · · · · ·			
			***************************************
Roles and Responsibilities M. Brown- Site Lead . Coo Provide technical support t	rdinates consent for access, and o Sit e Lead.		enfelder – Radiation Safety Lead.
	The state of the s	1.2 H AND SAFETY PERSON	NEL
he Site Field Safety Officer	(FSO) for activities to be conducted a	t this site is: Michelle Brown	
he FSO has total responsibi	lity for ensuring that the provisions of	this Site HASP are adequate and	d implemented in the field.
	y require decisions to be made conc d meet the additional training require		ams. Therefore, the personnel assign FR 1910,120.
	HAZWOPER. Completed an add		on awareness training course. Impleted the 40 Hr HAZWOPER

Designated alternates include: Bob Schoenfelder.

1.3 SITE	PERSONNEL AND	ERTIFICATION STAT	iUS .
	1.3.1 Weston Employ	yee Certification	
Name: Michelle Brown Title: Project Leader	·	Name: Donna Klein Title: Scientist	
Task(s): All	•	Task(s): All	
Certification Level or Description:		Certification Level or Descri	iption:
Medical Current		☐Medical Current	
☐Fit Test Current (Qual.)	Fit Test Current (Quant.)	☐Fit Test Current (Qual.)	☐Fit Test Current (Quant.)
Name: James Beavis	,	Name: Jennifer Peters	
Title: Project Scientist	'	Title: Project Scientist	i
Task(s): All	3	Task(s): All	
Certification Level or Description:		Certification Level or Descr	<i>'</i>
⊠Medical Current	☑Training Current	Medical Current	⊠Training Current
Fit Test Current (Qual.)	☐Fit Test Current (Quant.)	Fit Test Current (Qual.)	Fit Test Current (Quant.)
Name: Melinda Luetke, Tori Gome	<b>Z</b>	Name: Title:	•
Title: Assoc. Scientist Task(s): All		Task(s): All	
Certification Level or Description:		Certification Level or Descri	Intion:
Medical Current	⊠Training Current	Medical Current	☐Training Current
⊠Fit Test Current (Qual.)	⊠Fit Test Current (Quant.)	Fit Test Current (Qual.)	Fit Test Current (Quant.)
Name:	partition outlong (against)	Name:	I it foot deficit (death.)
Title:		Title:	
Task(s):		Task(s):	j
Certification Level or Description:		Certification Level or Descr	intion:
☐Medical Current	Training Current	☐Medical Current	Training Current
Fit Test Current (Qual.)	Fit Test Current (Quant.)	Fit Test Current (Qual.)	Fit Test Current (Quant.)
Name:	Ţ	Name:	
Title:		Title:	ì
Task(s):		Task(s):	
Certification Level or Description:		Certification Level or Descr	intion:
Medical Current	П	******	·
	Training Current	Medical Current	Training Current
Fit Test Current (Qual.)	Fit Test Current (Quant.)	Fit Test Current (Qual.)	Fit Test Current (Quant.)
Name:		Name:	
Title:	•	Title:	
Task(s):		Task(s):	·
Certification Level or Description:		Certification Level or Descr	iption:
Medical Current	Training Current	Medical Current	Training Current
Fit Test Current (Qual.)	Fit Test Current (Quant.)	Fit Test Current (Qual.)	Fit Test Current (Quant.)

TRAINING CURRENT - Training: All personnel, including visitors, entering the exclusion or contamination reduction zones must have certifications of completion of training in accordance with OSHA 29 CFR 1910, 29 CFR 1926, or 29 CFR 1910.120.

FIT TEST CURRENT - Respirator Fit Testing: All persons, including visitors, entering any area requiring the use or potential use of any negative pressure respirator must have had, as a minimum, a qualitative fit test, administered in accordance with OSHA 29 CFR 1910.134 or ANSI, within the last 12 months. If site conditions require the use of a full-face, negative-pressure, air-purifying respirator for protection from asbestos or lead, employees must have had a qualitative fit test, administered according to OSHA 29 CFR 1910.1001 or 1025/1926, within the last 6 months.

MEDICAL CURRENT - Medical Monitoring Requirements: All personnel, including visitors, entering the exclusion or contamination reduction zones must be certified as medically fit to work and to wear a respirator, if appropriate, in accordance with 29 CFR 1910, 29 CFR 1926/1910, or 29 CFR 1910.120.

The Site Field Safety Officer is responsible for verifying all certifications and fit tests.

2. HEALTH AND SAFETY EVALUATION

		2.1 H	EALTH AND SA	AFETY EVALUAT	ION			
2.1.1 Task Hazard Assessment								
Background	d Review: ⊠	Complete	☐ Partial If par	rtial why?				
	Covered U		Plan:					
No.	Task/Su			Description		Schedule		
1	Waste Source Sampling		and stockpiles on-site.	n waste areas located in pi	·	February 2010 - Dec. 2010		
2	Water and s sampling	ediment	Collect 39 water and/or water pathways	sediment samples from the	surface	Febuary 2010 - Dec. 2010		
3		1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4						
						·		
	<u> </u>					<u> </u>		
		the following	g hazard evaluation forms	. Complete hazard evaluat	ion forms for	each appropriate		
Physioche	mical 1	Chemical	ly Toxic 1	Radiation 3	Biological	2		
☐ Flamma	able	☐ Inhala	tion   Carcinogen	Ionizing:	☐ Etiolog	ical Agent		
☐ Explosi	ve	ngest	ion 🔲 Mutagen		Other (	plant, insect, animal)		
☐ Corrosi	ve	☑ Conta						
☐ Reactiv	/e	⊠ Absor						
☐ O₂ Rich	1	☐ OSHA	1910.1000 Substance	Non-ionizing:	□ Physical Hazards 4			
O <sub>2</sub> Defi	cient	(Air C	ontaminants)	⊠ UV ☐ IR	•	uction Activities		
		Subst	A Specific Hazard ance Standard to following page for )	RF MicroW	Uneven ground, remote areas, off-road access			
		Source/Lo	cation of Contaminar	nts and Hazardous Sub	stances:	3		
	Directly Related to Tasks — Nearby Process(es) That Could Affect Team Members:					Could Affect Team		
⊠ Air 			Client FacilityM	☐ Client Facility/WESTON Work Location				
Other S			☐ Nearby Non-Cli					
Ground	lwater		Describe:	one, doing				
⊠ Soil			Describe;					
Surface	e Water		57	(Analyta)) has a second control of	district for all the second			
☐ Sanitar	y Wastewater			(task[s]) been coordinated v	vith facility?			
☐ Proces	s Wastewater		Comments:					
☐ Other			Project site activities will be conducted on private/Land Grant/tribal property. The appropriate property owner(s) will be informed of the scope of work and contacted for site access.					

HEALTH AND SAFETY EVALUATION						
	2.1.	2 Chemic	cal Hazar	ds of Concern		
⊠ N/A				⊠ N/A		
Chemical Contaminants of Concern  Provide the data requested for chemical contaminants on HASP Form 25 or attach data sheets from an acceptable source such as NIOSH pocket guide, condensed chemical dictionary, ACGIH TLV booklet, etc. List chemicals and concentrations below and locate data sheets in Attachment B of this HASP.  Identify hazardous materials used or on-site and attach Material Safety Data Sheets (MSDSs) for all reagent type chemicals, solutions, or other identified materials that in normal use in performing tasks related to this project could produce hazardous substances. Ensure that all subcontractors and other parties working nearby are informed of the presence of these chemicals and the location of the MSDSs. Obtain from subcontractors and other parties, lists of the hazardous materials they use or have on-site and identify location of the MSDSs here. List chemicals and quantities below and locate MSDSs in Attachment B of this HASP.						nat in substances. the intractors dentify
Chemical Name	me Alpha particles Chemical Name (meV)			Name	Quantity	
Uranium-238 and decay products		4.2				
Radium-226		4.8				
Radon-222		5.5				
					·····	
	OSDA:SI	DECIEIC L	AZADDÓ	US SUBSTANCES		
1910.1001 Asbestos	1910.1002 Coal tar pitch volat	<del></del>	1	1003 4-Nitrobiphenyl, etc.	1910.1004 alpha-Naphthylamine	
		<del></del>				
☐ 1910.1005 [Reserved]	1910.1006 Methyl chlorometh	yl ether	-=-	1007 3,3'-Dichlorobenzidine (and its salts)	1910.1008 bis-Chloromethyl ethe	er
1910.1009 beta-Naphthylamine	1910.1010 Benzidine		t <del>–</del>	1011 4-Aminodiphenyl	1910.1012 Ethyleneimine	
1910.1013 beta-Propiolactone	1910.1013 beta-Propiolactone					
1910.1017 Vinyl chloride	1910.1018 Inorganic arsenic		1910.	1025 Lead (Att. FLD# 46)	1910.1026 Chromium VI (att. FLI	D 53)
1910.1027 Cadmium (Att. 50 FLD)	1910.1028 Benzene (Att. FLD	# 54 or 61)	1910.	0.1029 Coke oven emissions		
1910.1044 1,2-Dibromo-3-chloropropane	1910.1045 Acrylonitrile		1910.	1047 Ethylene oxide	1910.1048 Formaldehyde	
1910.1050 Methylenedianiline	1910.1051 1,3 Butadiene		1910.	1052 Methylene chloride	1926.60 Methylenedianiline	
1926.62 Lead	1926.1101 Asbestos (Att. FLD	52)	1926.	1127 Cadmium		

HEALTH AND SA	FETY EVALUATION
2.1.3 Biological	Hazards of Concern
☐ Poisonous Plants (FLD 43-D)N/A	☑ Insects (FLD 43-B)N/A
Location/Task No(s)  Source:	Location/Task No(s) 1,2  Source:
Team Member(s) Allergic: Yes No Immunization required: Yes No	Team Member(s) Allergic: Yes No No No Yes No
⊠ Snakes, Reptiles (FLD 43-A)	Animals (FLD 43-A) dogs, coyotes, sheep, cattle
Location/Task No(s) All  Source:	Location/Task No(s) All  Source:
Team Member(s) Allergic: ☐ Yes ☒ No Immunization required: ☐ Yes ☒ No	Team Member(s) Allergic: ☐ Yes ☒ No Immunization required: ☐ Yes ☒ No
FLD 43 — WESTON Biohazard Field Operating Procedure	es: Att. OP
Sewage	⊠ Etiologic Agents (FLD -C) Hantavirus
Location/Task No(s):  Source:	Location/Task No(s).: All Source:
Team Member(s) Allergic: Yes No No No Yes No	Team Member(s) Allergic: ☐ Yes ☒ No Immunization required: ☐ Yes ☒ No
Tetanus Vaccination within Past 10 yrs: Yes No	
FLD 43-C — Mold and Fungus. Att. OP	
FLD 44 — WESTON Bloodborne Pathogens Exposure Co	ntrol Plan – First Aid Procedures: Att. OP 🛛
FLD 45 — WESTON Bloodborne Pathogens Exposure Co	ntrol Plan – Working with Infectious Waste: Att. OP

			2	1.4 Radiation H	lazards of Conce	in		
					S RADIATION			
Task No.	Type of Nonionizing Radiation	Source C	On-Site	TLV/PEL	Wavelength Range	Control Measures	Monitoring Ins	rument
1.2.3	Ultraviolet	Solar		· · · · · · · · · · · · · · · · · · ·		Appropriate clothing/ sunscreen	None	
	Infrared	N/A	·					· · · · ·
	Radio Frequency	N/A						
	Microwave	N/A		· · · · · · · · · · · · · · · · · · ·		*		
	Laser	N/A						
		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		RADIATION			
Task No.	Radionuclide	Major Radiations	Radioactive Half-Life (Years)	DAC (µCi/ml	w	Y	Surface Contamination Limit	Monitoring Instrument
2, 3	Uranium-238	gamma	4.5 x 10° yrs	6 E-10	3 E-10	2 E-11	1000 dpm/100 sq.cm.	MicroR meter, pancake G-M detector, wipe samples MicroR meter,
2, 3	Radium-226	gamma	1590 yrs	N/A	3 E-10	N/A	51	pancake G-M detector, wipe
2, 3	Radon-222	gamma	3.825 days	3 E-8	N/A	N/A	N/A	samples Air sampling

# HEALTH AND SAFETY EVALUATION

## 2.1.5 Physical Hazards of Concern

Physical Hazard Condition	Physical Hazard	Attach OP	WESTON OP Titles
Loud noise	Hearing loss/disruption of communication		Section 7.0 - ECH&S Program Manual Occupational Noise & HC Program
Inclement weather	Rain/humidity/cold/ice/snow/lightning		FLD02 - Inclement Weather
Steam heat stress	Burns/displaced oxygen/wet working surfaces		FLD03 - Hot Process - Steam
Heat stress	Burns/hot surfaces/low pressure steam		FLD04 - Hot Process - LT3
Ambient heat stress	Heat rash/cramps/exhaustion/heat stroke		FLD05 - Heat Stress Prevention/Monitoring
Cold stress	Hypothermia/frostbite		FLD06 - Cold Stress
Cold/wet	Trench/paddy/immersion foot/edema		FLD02 - Inclement Weather
Confined spaces	Falls/burns/drowning/engulfment/electrocution		FLD08 - Confined Space Entry
Industrial Trucks	Fork Lift Truck Safety		FLD09 – Powered Industrial Trucks
Improper lifting	Back strain/abdomen/arm/leg muscle/joint injury		FLD10 - Manual Lifting/Handling Heavy Objects
Uneven surfaces	Vehicle accidents/slips/trips/falls		FLD11 - Rough Terrain
Poor housekeeping	Slips/trips/falls/punctures/cuts/fires	$\boxtimes$	FLD12 - Housekeeping
Structural integrity	Crushing/overhead hazards/compromised floors		FLD13 - Structural Integrity
Improper cylinder, handling	Mechanical injury/fire/explosion/suffocation		FLD16 - Pressure Systems - Compressed Gases
Water hazards	Poor visibility/entanglement/drowning/cold stress		FLD17 - Diving
Water hazards	Drowning/heat/cold stress/hypothermia/falls		FLD18 - Operation and Use of Boats
Water hazards	Drowning/frostbite/hypothermia/falls/electrocution		FLD19 - Working Over Water
Vehicle hazards	Struck by vehicle/collision		FLD20 - Traffic
Explosions	Explosion/fire/thermal burns		FLD21 - Explosives
Moving mechanical parts	Crushing/pinch points/overhead hazards/electrocution		FLD22 - Earth Moving Equipment
Moving mech. parts	Overhead hazards/electrocution		FLD23 - Cranes, Rigging, and Slings
Working at elevation	Overhead hazards/falls/electrocution		FLD24 - Aerial Lifts/Man lifts
Working at elevation	Overhead hazards/falls/electrocution		FLD25 - Working at Elevation
Working at elevation	Overhead hazards/falls/electrocution/slips		FLD26 - Ladders
Working at elevation	Slips/trips/falls/overhead hazards		FLD27 - Scaffolding
Trench cave-in	Crushing/falling/overhead hazards/suffocation		FLD28 - Excavating/Trenching
Physiochemical	Explosions/fires from oxidizing, flam./corr. material		FLD30 - Hazardous Materials Use/Storage
Physiochemical	Fire and explosion		FLD31 - Fire Prevention/Response Plan Required
Physiochemical	Fire		FLD32 - Fire Extinguishers Required
Structural integrity	Overhead/electrocution/slips/trips/falls/fire		FLD33 - Demolition
Electrical	Electrocution/shock/thermal burns		FLD34 - Utilities
Electrical	Electrocution/shock/thermal burns		FLD35 - Electrical Safety
Burns/fires	Heat stress/fires/burns		FLD36 - Welding/Cutting/Brazing/Radiography
Impact/thermal	Thermal burns/high pressure impaction/heat stress		FLD37 - Pressure Washers/Sand Blasting
Impaction/electrical	Smashing body parts/pinching/cuts/electrocution		FLD38 - Hand and Power Tools
Poor visibility	Slips/trips/falls	$\boxtimes$	FLD39 - Illumination
Fire/explosion	Burns/impaction		FLD40 - Storage Tank Removal/Decommissioning
Communications	Disruption of communications		FLD41 - Std. Hand/Emergency Signals
Energy/release	Unexpected release of energy		FLD42 - Lockoul/Tag-out
Biological Hazards	Biological Hazards at sile		FLD43 - Biological Hazards
Animals	Animals		FLD43A - Animals
Insects	Stinging and Biting Insects		FLD43B - Stinging and Biting Insects
Molds/Fungi	Molds and Fungi		FLD43C - Molds and Fungi
Hazardous Plants	Hazardous Plants		FLD43D - Hazardous Plants
Etiologic Agents	Etiologic Agents		FLD43E - Etlologic Agents

Biological Hazards/BBP	Biological Hazards/BBP at site/First Aid Providers		FLD44 - Biological Hazards – Bloodborne Pathogens Exposure Control Plan – First Aid Providers
	2.1.5 Physical Hazards of Co	ncern (C	ontinued)
Physical Hazard Condition	Physical Hazard	Attach OP	WESTON OP Titles
Infectious Waste	Infectious Waste at site/BBP/ at site/Infectious Waste		FLD45 – Biological Hazards – Bloodborne Pathogens Exposure Control Plan – Work With Infectious Waste
Lead Contaminated sites	Lead poisoning (####################################		FLD46 - Control of Exposure to Lead
Puncture/cuts	Cuts/ dismemberment/gouges		FLD47 - Clearing, Grubbing and Logging Operations
Not applicable	Not applicable	$\boxtimes$	FLD48 – Federal, State, Local Regulatory Agency Inspections
Not applicable.	Exposure to hazardous materials/waste		FLD49 - Safe Storage of Samples
Cadmium	Exposure Control		FLD50 - Cadmium Exposure Control Plan
Process Safety Procedure	Safety Procedure		FLD51 – Process Safety Procedure
Asbestos	Asbestos Exposure		FLD52 – Asbestos Exposure Control Plan
Hexavalent Chromium	Exposure Control Plan		FLD53 - Hexavalent Chromium Exposure Control Plan
Benzene	Exposure Control Plan		FLD54 - Benzene Exposure Control Plan
Hydrofluoric add	Working with HF		FLD55 - Working with Hydrofluoric Acid
Moving drill rig parts	Crushing/pinch points/overhead hazards/electrocution		FLD56 - Drilling Safety
Vehicles/driving	Accidents,/fatigue/cell phone use		FLD 57 - Motor Vehicle Safety
Improper material handling	Back injury/crushing from load shifts/equipment/tools		FLD 58 - Drum Handling Operations
COC decontamination	COCs/slip,trlp, and falls/waste generation/environmental compliance/PPE		FLD59 - Decontamination
Drilling hazards	Electrocution/overhead hazards/pinch points		Environmental Remediation Drilling Safety Guideline - 2005
Fatigue	Long work hours		FLD80 – Employee Duty Schedule
Benzene/Gasoline	Benzene exposure		FLD61 – Gasoline Contaminant Exposure

3. TASK BY TASK ASSESMENT

3.1 TASK-BY-TASK RISK ASSESSMENT
3.1.1 Task 1 Description
TASK 1: Waste source sampling/monitoring activities. Collect 6 samples from waste areas located in pits, dumps and stockpiles on-site.
EQUIPMENT REQUIRED/USED
Digital camera Safety glasses Soil/rock MicroR meter 2-way radios Logbook Safety shoes Sample containers pancake G-M detector
POTENTIAL HAZARDS/RISKS
Chemical
☐ Hazard Present Risk Level: ☐ H ☐ M ☐ L What justifies risk level? N/A
Physical
Hazard Present   Risk Level: □ H
What justifies risk level? Slips, trips, falls; heat/cold stress, off-road access required. Driving will continue will be the greatest hazard for site activites as well as mobilizing to and from the site. Monitor daily weather forecasts for potential flash flooding in the area.
Biological
☐ Hazard Present Risk Level: ☐ H ☐ M ☐ L  What justifies risk level?  Exposure to dogs, wild animals, insects, large domestic animals, and hantavirus in reclaimed mine areas. Elk and Bears have been spotted in areas north of jackpile mine.
RADIOLOGICAL
☑ Hazard Present Risk Level: ☐ H ☑ M ☐ L What justifies risk level? Former uranium mine and mining by products may be present in site areas. Radiation monitoring with the MicroR meter will be utilized to access the work areas.
LEVELS OF PROTECTION/JUSTIFICATION
Level D modified to include use of nitrile gloves for sampling activities
SAFETY PROCEDURES REQUIRED AND/OR FIELD OPS UTILIZED
All work will be performed in accordance with the provisions of this HASP, OSHA guidelines, and WESTON Standard Operating Procedures. FLD's 2 6 10 11 12 20 39 41 43 43a 44 48 49 57 and 60

## 3.1 TASK-BY-TASK RISK ASSESSMENT

# 3.1.2 Task 2 Description

TASK 2: Surface water and sediment sampling and monitoring. Collect 39 water and/or sediment samples from the surface water pathways

EQUIPMENT REQUIRED/USED
Digital camera Safety glasses DI water MicroR meter 2-way radios Logbook Safety shoes Sample containers pancake G-M Pens detector
POTENTIAL HAZARDS/RISKS
Chemical
☐ Hazard Present Risk Level: ☐ H ☐ M ☐ L What justifies risk level? n/a
Physical
☐ Hazard Present Risk Level: ☐ H ☐ M ☐ L  What justifies risk level?  Slips/trips/falls, heat stress/cold stress, lifting, and exposure to the elements. Driving will continue will be the greatest hazard for site activites as well as mobilizing to and from the site. Monitor daily weather forecasts for potential flash flooding in the area.
Biological
☐ Hazard Present Risk Level: ☐ H ☐ M ☐ L  What justifies risk level?  Exposure to dogs, wild animals, insects, large domestic animals, and hantavirus in reclaimed mine areas. Elk and Bears have been spotted in areas north of jackpile mine.
RADIOLOGICAL
☐ Hazard Present Risk Level: ☐ H ☐ M ☐ L.  What justifies risk level?  Former uranium mines and mining byproducts may be present in site areas. Site has been reclaimed and residential sites are nearby with no symptoms noted of acute radiation exposures. Concentrations and doses are expected to be low. Radiation monitoring with the MicroR meter will be utilized to access the work areas.
LEVELS OF PROTECTION/JUSTIFICATION
Level D modified to include of nitrile gloves for sampling activities
SAFETY PROCEDURES REQUIRED AND/OR FIELD OPS UTILIZED
All work will be performed in accordance with the provisions of this HASP, OSHA guidelines, and WESTON Standard Operating Procedures. FLD's 2, 6, 10, 11, 12, 20, 39, 41, 43, 43a, 44, 48, 49, 57, and 60

3.1 TASK-BY-TASK RISK ASSESSMENT
3.1.3 Task 3 Description
TASK 3:
·
EQUIPMENT REQUIRED/USED
POTENTIAL HAZARDS/RISKS  Chemical
☐ Hazard Present Risk Level: ☐ H ☐ M ☐ L
What justifies risk level? n/a
Physical
☐ Hazard Present Risk Level: ☐ H ☐ M ☐ L
What justifies risk level?
Biological
☑ Hazard Present Risk Level: ☐ H ☐ M ☐ L What justifies risk level?
What justines have level?
RADIOLOGICAL
☐ Hazard Present Risk Level: ☐ H ☐ M ☐ L  What justifies risk level?
LEVELS OF PROTECTION/JUSTIFICATION
SAFETY PROCEDURES REQUIRED AND/OR FIELD OPS UTILIZED
SALLIT FROCEDORES REQUIRED AND/OR FIELD OFS UTILIZED

	3.2 PERSONNEL P	ROTECTION PLAN
Engineering Controls Describe Engineering Controls used as part of	Personnel Protection Plan:	·
Task(s)		· ·
Administrative Controls Describe Administrative Controls used as part of	of Personnel Protection Plan:	
Task(s)		
	n levels with microR meter to n levels do not exceed 1,000 p	determine where samples should be collected and to verify uR/hr.
1,2		
	•	
Personal Protective Equipment Action Levels for Changing Levels of Protection task:	n. Refer to HASP Form 13, Site Air Monito	oring Program—Action Levels. Define Action Levels for up or down grade for each
Task(s)	1	
1, 2 Safety boots, safety g	asses.	
	•	
	Description of Lev	els of Protection
Level	D	Level D Modified
Task(s): 1, 2	•	Task(s): 3
⊠ Head		☐ Head
☑ Eye:and Face	safety glasses	☐ Eye and Face
☐ Hearing		☐ Hearing
Arms and Legs Only		☐ Arms and Legs Only
Appropriate Work Uniform		☐ Whole Body
☐ Hand – Gloves(nitrile)	Soil, and wipe sampling	☐ Apron
☐ Foot - Safety Boots		☐ Hand - Gloves
☐ Fall Protection		☐ Gloves
☐ Flotation		Gloves
☐ Other		☐ Foot - Safety Boots
		☐ Over Boots

3.3 DESCRIPTION OF	LEVELS OF PROTECTION
Level C	Level B
Task(s):	Task(s):
☐ Head	☐ Head
☐ Eye and Face	☐ Eye and Face
☐ Hearing	☐ Hearing
☐ Arms and Legs Only	☐ Arms and Legs Only
☐ Whole Body	☐ Whole Body
☐ Apron	☐ Apron
☐ Hand – Gloves	☐ Hand - Gloves
Gloves	☐ Gloves
☐ Gloves	☐ Gloves
☐ Foot - Safety Boots.	☐ Foot - Safety Boots
Outer Boots	☐ Outer Boots
☐ Boots (Other)	☐ Boots (Other)
☐ Half Face	SAR - Airline
☐ Cart./Canister	☐ SCBA
☐ Full Face	☐ Comb. Airline/SCBA
☐ Cart./Canister	☐ Cascade System
☐ PAPR	☐ Compressor
☐ Cart./Canister	☐ Fall Protection
☐ Type C	☐ Flotation
☐ Fall Protection	☐ Other
☐ Flotation	
☐ Other	

### 4. MONITORING PROGRAM

4.1 SITE OR PROJECT HAZ	ARD N	IONITORIN	G PROGR	.AM		
4.1.1 Air Monitoring Instruments						
lnstr Reporting∘Format: ☐ Field	ument	Selection a	nd Initial	Check Re		_og □ Trip
Instrument	Task No.(s)	Number Required	Number Received	Checked Upon Receipt	Comment	Initials
⊠ RAD	1, 2	† ·				
☑ GM (Pancake)		2				
⊠ Nal (Micro R)		2				
ZnS (Alpha Scintillator)		)				
Other	~					
□ PID						
☐ MiniRAE						
MultiRAE (LEL/02/H2S/CO/PID)		1				
☐ TVA 1000 (PID/FID)					. *	
Other		.1				
□FID		•				·
☐ TVA 1000 (FID/PID)		i ·			, ,	
Other						
PDR 1000 (Particulate)		4			,	
Single Gas Meter (SGM)						
Specify Chemical:						
Personal Sampling Pump						
Specify Media:		r.				
☐ Bio-Aerosol Monitor		n				·
Detector Tube Pump:						
Specify (MSA, Dräeger, Sensidyne)		:				
Tubes/type:		:				
Tubes/type:						
Tubes/type:						,
Tubes/type:						

4.1 SITE OR PROJECT HAZARD MONITORING PROGRAM								
4.1.1 Air Monitoring Instruments Calibration Record								
Instrument, Mfg., Model, Equip. ID No.	Date	Time	Calib. Material	Calib. Method Mfg.'s	Other	Initial Setting and Reading	Final Setting and Reading	Calibrator's Initials
	<b>_</b>							
	<u> </u>							
	<del>                                     </del>							

(1) (1)

#### SITE AIR MONITORING PROGRAM Action Levels These Action Levels, if not defined by regulation, are some percent (usually 50%) of the applicable PEL/TLV/REL. That number must also be adjusted to account for instrument response factors. Tasks **Action Level** Action **Confined Space** Ambient Air Explosive atmosphere Concentration Concentration <10% LEL 0 to 1% LEL Work may continue. Consider toxicity potential. 10 to 25% LEL 1 to 10% LEL Work may continue. Increase monitoring frequency. >25% LEL >10% LEL Work must stop. Ventilate area before returning. Oxygen Ambient Air Confined Space Concentration Concentration <19.5% O<sub>2</sub> <19.5% O<sub>2</sub> Leave area. Re-enter only with self-contained breathing apparatus. 19.5% to 23.5% O<sub>2</sub> Work may continue. 19.5% to 25% O<sub>2</sub> Investigate changes from 21%. Work must stop. Ventilate >25% O<sub>2</sub> >23.5% O<sub>2</sub> area before returning. 1, 2 Continue work. Radiation above background to < 1,000 µR/hr background levels (normally 0.01-0.02 mR/hr) signifies possible radiation source(s) present. Continue investigation with caution. Perform thorough monitoring. Consult with a Health Physicist.

> 1,000 µR/hr

Organic gases and vapors

Inorganic gases, vapors, and particulates Potential radiation hazard. Evacuate site. Continue investigation only upon the advice of Health Physicist.

#### 4.3 ACTION LEVELS

### (Attach action level calculations)

Areas with external gamma levels < 1,000  $\mu$ R/hr allows work to continue for up to 100 hours without exceeding 100 mrem annual dose limit.

Uranium 238 Radium 226 230 mg/kg 2.5 pCi/gram

Radon

4 pCi/L

### 5. HOSPITAL INFORMATION





Notes

#### Trip to 1016 E Roosevelt Ave Grants, NM 87020-2118 33.81 miles - about 34 minutes



### Laguna, NM

	Start out going NORTHEAST toward LAGUNA TRIBAL RD.	go 0.0 mi
C.	2. Turn RIGHT onto LAGUNA TRIBAL RD.	go 0.0 mi
	3. Turn RIGHT onto NM-124 E / ROUTE 66.	go 0.5 mi
21 20	4. Merge onto I-40 W toward GALLUP.	go 28.8 mi
	5. Take the I-40-BL exit, EXIT 85, toward NM-547 / GRANTS / MT. TAYLOR.	go 0.5 mi
<b>3</b> t	6. Merge onto I-40 BL W / E SANTA FE AVE / ROUTE 66.	go 2.3 mi
r (549)	7. Turn RIGHT onto NM-547 N / 1ST ST.	go 0.9 mi
7	8. Turn SLIGHT RIGHT onto NM-547 / ROOSEVELT AVE. Continue to follow ROOSEVELT AVE.	go 0.8 mi
EHD	9. 1016 E ROOSEVELT AVE is on the LEFT.	go 0.0 mi




1016 E Roosevelt Ave, Grants, NM 87020-2118


Total Travel Estimate: 33.81 miles - about 34 minutes

Start Map Hide A: Laguna, NM End Map Hide

B: 1016 E Roosevelt Ave, Grants, NM 87020-2118



#### Route Map Hide



All rights reserved. Use subject to License/Copyright | Map Legend

Directions and maps are informational only. We make no warranties on the accuracy of their content, road conditions or route usability or expeditiousness. You assume all risk of use. MapQuest and its suppliers shall not be liable to you for any toss or delay resulting from your use of MapQuest. Your use of MapQuest means you agree to our <u>Terms of Use</u>




Home Contact Us Site Map

- About Us
- Physician Directory
- Departments and Services
- Visitor Information
- Employment Opnortunities
- Map and Driving Directions
- Health-Related Web Links
- Privacy
   Statement

#### Map and Driving Directions

Cibola General Hospital 1016 East Roosevelt Avenue Grants, NM 87020



Click on the map to navigate. Map navigation will open in a new window; to return to this site, close the window.

Get Driving Directions To Cithola General Hospital
Directions will open in a new window; to return to this site, close
the window

Home - Back - Logict Page - Louted Us - Site Man - Notice of Physica Practices

Cibola General Hospital 1016 East Roosevelt Avenue Grants, NM 87020 Phone: (505) 287-4446

http://www.cibolahospital.com/cgh.nsf/View/Map&Directions

9/23/2009

	5.1	CONTINGENCIE	S	
	5.1.1 Emera	ency Contacts and Phon	e Numbers	
Agency		Contact	Phone Number	
WorkCare WESTON Medical Director	5	Dr. Peter Greaney		:30 pm Pacific Time call 800-
   WorkCare WESTON Program Administrat	or .	Michelle Bui		or extension 175, Michelle Bui st the on-call clinician.
After-Business Hours Contact (In Case of Emergency Only)			4:31 p.m. – 5:59 a.m. Pacific Time, all Saturday, Sunday and Holidays call 800 6155 Dial 3 to reach the after-hours answ service. Request that the service connec with the on-call clinician or the on-call clin will return your call within 30 minutes	
WESTON Corporate Environmental Health & Safety Director		Owen Douglass, Jr.	610.701.3065 610.506.5392 (cell)	
WESTON Medical Programs Manage	r	Owen Douglass, Jr.		760.603.9910
WESTON Health & Safety Division S	4	James E. "Jim" Davis		251-602-1898 4-319-0380 (cell)
WESTON Health & Safety Local Safe	ty Officer	Mike Staurt		505-837-6536
Fire Department		Grants, Cibola Co., New Mexico Fire Dept.		911
Police Department		Grants, Cibola Co., New Mexico Police Dept.		911
WESTON FSO Cell Phone	1	Michelle Brown		972-977-2644
WESTON PM Cell Phone	•	Michelle Brown	972-977-2644	
Client Site Phone		· Branda Cook	214 680 9776	
Site Telephone	4			
Nearest Telephone		Paguatte Superette		
Poison Control	= 4	(800) 222-1222		
	Local N	ledical Emergency Facili	ty(s)	
Name of Hospital: Acoma-Canoncito-	Laguna Hospital			
Address: Exit 102 I-40, San Fidel, Ni	A 87049			Phone No.: 505-552-5300
Name of Contact: ER		•	Phone No.:	
Type of Service:  Physical trauma only	Route to Hospi (See Attached	) I are 1-40 I		Travel time from site:
Chemical exposure only Physical trauma and chemical	towar	ds Grants rexit 102		Distance to hospital: 23.9 miles_
exposure				Name/no. of 24-hr ambulance service: 911
Available 24 hours	Secondar	y or Specialty Service Pr	rovider	
Name of Hospital: Cibola General Ho	·	,		
Address: 1016 East Roosevelt Aven	:	7020		Phone No.: 505-287-4446
Name of Contact:	as Sicino, MM 0	1000		Phone No.:
Type of Service:	Route to Hospi	tal (see attached):		Travel time from site:
Physical trauma only	·	•		50 minutes
Chemical exposure only	cal exposure only  Distance to hospital:			1
Physical trauma and chemical exposure  Available 24 hours				Name/no. of 24-hr ambulance service:

See reporting an incident in Attachment F.

# 5.1.2 Hospital Map

(Attach hospital map and directions)

	5.1	CONTINGENCIES	3		
	5.	1.3 Response Plans			
Provide first aid, if trained; assess and determine need for further medical assistance.		First Aid Kit:  Yes No  Blood Borne Pathogens Kit:  Yes No  Eyewash required	Type Standard 20-man and infection control kit	Location In Vehicle Location	Special First-Aid Procedures: Cyanides on-site Yes No If yes, contact LMF. Do they have antidote kit? Yes No  HF on-site Yes No
		☐ Yes ☒ No  Shower required ☐ Yes ☒ No	Туре	Location	If yes, need neutralizing ointment for first-aid kit. Contact LMF.
Plan for Response to Spill/Release		Plan for Response to Fire/Explosion			Fire Extinguishers
In the event of a spill or release, ensure safety, assess situation, and perform containment and control measures, as appropriate.	<ul> <li>a. Cleanup per MSDSs if small; or sound alarm, call for assistance, notify Emergency Coordinator</li> <li>b. Evacuate to predetermined safe place</li> <li>c. Account for personnel</li> <li>d. Determine if team can respond safely</li> <li>e. Mobilize per Site Spill Response Plan</li> </ul>	In the event of a fire or explosion, ensure personal safety, assess situation, and perform containment and control measures, as appropriate:	b. Evacuate predeterm place c. Account fd. Use fire e only if safe in its use e. Stand by	ance, notify cy Coordinator to nined safe or personnel extinguisher and trained to inform cy responders als and	Type/Location  ABC/Vehicle  / / / / / / / /
Plan to Respond to Security leader, Michelle	Location  urity Problems  Brown, will be informed of	Description (Other Fire Re		ment)	Location

# 6. DECONTAMINATION PLAN

6.1 GEN	ERAL DECONTAMINAT	TION PLAN
	Personnel Decontamination	
Consistent with the levels of protection requirection are attached.	uired, step-by-step procedures for pers	onnel decontamination for each level of
notection are attached.		
Levels of Prot	tection Required for Decontamin	ation Personnel
The levels of protection required for person	nnel assisting with decontamination will	be:
Level B	Level C	Level D modified
Modifications include:		
nitrile gloves		
	•	
5:		
Provide a description of waste disposition	sposition of Decontamination War including identification of storage area	
pplicable	r molading localineation of storage area	a, nadici, and intal disposal site, ii
rade garbage bags and disposed in mur ackground.		adiation detectors, placed into contractor diation levels do not exceed 3X
	Equipment Decontamination	
A procedure for decontamination steps red		heavy machinery follows:
Soils on work boots will be dislodged and	l left on work site.	
*		
		· ·
•		•
·		
Se	ampling Equipment Decontamina	ation
Sampling equipment will be decontaminate	ampling Equipment Decontaminated in accordance with the following produce to the contaminate of the contamin	ation cedure:
ampling equipment will be decontaminate	ed in accordance with the following pro-	cedure:
Sampling equipment will be decontaminate	ed in accordance with the following pro-	cedure:
Sampling equipment will be decontaminate	ed in accordance with the following pro-	cedure:
Sampling equipment will be decontaminate Ory decontamination will be conducted or	ed in accordance with the following pro-	cedure:
Sampling equipment will be decontaminate	ed in accordance with the following pro-	cedure:
Sampling equipment will be decontaminate	ed in accordance with the following pro-	cedure:
Sampling equipment will be decontaminate	ed in accordance with the following pro-	cedure:

6.2 LEVE	L D Modified DECONTAMINATION PLAN
Check indicated functions or add steps, a	as necessary:
Function	Description of Process, Solution, and Container
Segregated equipment drop	PPE will be disposed in contractor grade trash bags.
☐Boot cover and glove wash	
☐Boot cover and glove rinse	
Tape removal - outer glove and boot	
Boot cover removal	
Outer glove removal	
	HOTLINE
Suit/safety boot wash	
☐Suit/boot/glove rinse	
Safety boot removal	
Suit removal	
☐Inner glove wash	
☐Inner glove rinse	
☐Inner glove removal	- 1
☐Inner clothing removal	
CONTAMINATION	N REDUCTION ZONE (CRZ)/SAFE ZONE BOUNDARY
☐Field wash	
Redress	
Disposal Plan, End of Day: Consolidate used PPE in contractor grad	le trash bags and seal with duct tape.
Disposal Plan, End of Week: Consolidate used PPE in contractor grad	le trash bags and seal with duct tape and place in municipal trash container.
Disposal Plan, End of Project: Consolidate used PPE in contractor grad	le trash bags and seal with duct tape and place in municipal trash container.
,	

7. TRAINING AND BRIEFING TOPICS/SIGN OFF SHEET

7.1 TRAINING AND BRIEFING TOPICS						
The following Items will be covered at the site-specific training meeting, daily or periodically.						
Site characterization and analysis, Sec. 3.0, 29 CFR 1910.120 I	Level A					
Physical hazards, HASP Form 07	Level B					
Chemical hazards, HASP Form 04	Level C					
Animal bites, stings, and poisonous plants	Level D modified					
Etiologic (infectious) agents	Monitoring, 29 CFR 1910.120 (h)					
Site control, 29 CFR 1910.120 d	Decontamination, 29 CFR 1910.120 (k)					
Engineering controls and work practices, 29 CFR 1910.120 (g)	Emergency response, 29 CFR 1910.120 (I)					
Heavy machinery	Elements of an emergency response, 29 CFR 1910.120 (I)					
Forklift	Procedures for handling site emergency incidents, 29 CFR 1910.120 (I)					
Backhoe	Off-site emergency response, 29 CFR 1910.120 (I)					
Equipment	Handling drums and containers, 29 CFR 1910.120 (j)					
Tools	Opening drums and containers					
Ladder, 29 CFR 1910.27 (d)/29 CFR 1926	Electrical material handling equipment					
Overhead and underground utilities	Radioactive hazards and waste handling					
Scaffolds	Shock-sensitive waste					
Structural integrity	Laboratory waste packs					
Unguarded openings - wall, floor, ceilings	Sampling drums and containers					
Pressurized air cylinders	Shipping and transport, 49 CFR 172.101, IATA					
Personal protective equipment, 29 CFR 1910.120 (g); 29 CFR 1910.134	Tank and vault procedures					
Respiratory protection, 29 CFR 1910.120 (g); ANSI Z88.2	Illumination, 29 CFR 1910.120 (m)					
Working over water FLD-19	Sanitation, 29 CFR 1910.120 (n)					
Boating safety FLD-18						
Heat Stress						
Proper lifting techniques						

	7.2 HEALTH AND SAFETY PLAN APPROVAL/SIGNOFF FORM						
Site Name:	Jackpille Mine Site Investiga				WO#: 20406.012.019.0514.01		
Address:	Near Paguate, Cibola Count		•				
l understan discussed i	d, agree to, and will conform n the personnel health and sa	with th	e information set riefing(s).	forth in this Health and	d Safety Plan (a	and attachments) and	
	Name			Signature		Date	
		• .				· · · · · · · · · · · · · · · · · · ·	
	;	,					
		•			· · · · · · · · · · · · · · · · · · ·		
		•		7777	<u> </u>		
· · · · · · · · · · · · · · · · · · ·		•					
		•		<u> </u>		·	
•	• .	•			<u>.                                      </u>	·	
		•					
				·	<u> </u>		
<del></del>			·				
<del></del>			,	·	·		
Add				***************************************			
		•					
		• ,	·				
····							
		_					
······································		=					

# ATTACHMENT A CHEMICAL CONTAMINANTS DATA SHEETS

Insert sheets on following page.

# ATTACHMENT B MATERIAL SAFETY DATA SHEETS

(ATTACH MSDS)

Insert documents on following page.

# ATTACHMENT C

# SAFETY PROCEDURES/FIELD OPERATING PROCEDURES (FLD OPS)

Insert documents on following page.

# ATTACHMENT D HAZARD COMMUNICATION PROGRAM

### SITE-SPECIFIC HAZARD COMMUNICATION PROGRAM

#### Location-Specific Hazard Communication Program/Checklist

To ensure an understanding of and compliance with the Hazard Communication Standard, WESTON will use this checklist/document (or similar document) in conjunction with the WESTON Written Hazard Communication Program as a means of meeting site- or location-specific requirements.

While responsibility for activities within this document reference the WESTON Safety Officer (SO), it is the responsibility of all personnel to effect compliance. Responsibilities under various conditions can be found within the WESTON Written Hazard Communication Program.

To ensure that information about the dangers of all hazardous chemicals used by WESTON are known by all affected employees, the following Hazard Communication Program has been established. All affected personnel will participate in the Hazard Communication Program. This written program, as well as WESTON's Corporate Hazard Communication Program, will be available for review by any employee, employee representative, representative of OSHA, NIOSH, or any affected employer/employee on a multi-employer site.

	Site or other location name/address: Jackpile Mine Site Investigation						
	Site/Project/Location Manager:	Michelle Brown					
	Site/Location Safety Officer:	Michelle Brown					
<b>□</b> ·	List of chemicals compiled, forma	t ⊠ HASP □ Other:					
	Location of MSDS files:	HASP					
$\boxtimes$	Training conducted by: Name:	Robert Schoenfelder Date:					
	Indicate format of training docum	entation:   Field Log:  Other:					
	Client briefing conducted regardi	g hazard communication:					
	If multi-employer site (client, subcontractor, agency, etc.), indicate name of affected companies:						
	Other employer(s) notified of chemicals, labeling, and MSDS information:						
	☐ Has WESTON been notified of other employer's or client's hazard communication program(s), as necessary? ☐ Yes ☐ No						

#### List of Hazardous Chemicals

A list of known hazardous chemicals used by WESTON personnel must be prepared and attached to this document or placed in a centrally identified location with the MSDSs. Further information on each chemical may be obtained by reviewing the appropriate MSDS. The list will be arranged to enable cross-reference with the MSDS file and the label on the container. The SO or Location Manager is responsible for ensuring the chemical listing remains up-to-date.

#### Container Labeling

The WESTON SO will verify that all containers received from the chemical manufacturer, importer, or distributor for use on-site are clearly labeled.

The SO is responsible for ensuring that labels are placed where required and for comparing MSDSs and other information with label information to ensure correctness.

#### Material Safety Data Sheets (MSDSs)

The SO is responsible for establishing and monitoring WESTON's MSDS program for the location. The SO will ensure that procedures are developed to obtain the necessary MSDSs and will review incoming MSDSs for new or significant health and safety information. He/she will see that any new information is passed on to the affected employees. If an MSDS is not received at the time of initial shipment, the SO will call the manufacturer and have an MSDS delivered for that product in accordance with the requirements of WESTON's Written Hazard Communication Program.

A log for, and copies of, MSDSs for all hazardous chemicals in use will be kept in the MSDS folder at a location known to all site workers. MSDSs will be readily available to all employees during each work shift. If an MSDS is not available, immediately contact the WESTON SO or the designated alternate. When a revised MSDS is received, the SO will immediately replace the old MSDS.

### Employee Training and Information

The SO is responsible for the WESTON site-specific personnel training program. The SO will ensure that all program elements specified below are supplied to all affected employees.

At the time of initial assignment for employees to the work site, or whenever a new hazard is introduced into the work area, employees will attend a health and safety meeting or briefing that includes the information indicated below.

- Hazardous chemicals and radiation levels present at the work site.
- Physical and health risks of the hazardous chemicals and radioactive materials present.
- The signs and symptoms of overexposure.
- Procedures to follow if employees are overexposed to hazardous chemicals or radiation.
- Location of the MSDS file and Written Hazard Communication Program.
- How to determine the presence or release of hazardous chemicals and radiativ materials in the site work areas.
- How to read labels and review MSDSs to obtain hazard information:
- Steps WESTON has taken to reduce or prevent exposure to hazardous chemicals.
- How to reduce or prevent exposure to hazardous chemicals through the use of controls procedures, work
  practices, and personal protective equipment.
- Hazardous, nonroutine tasks to be performed (if any).
- · Chemicals within unlabeled piping (if any).

#### Hazardous Nonroutine Tasks

When employees are required to perform hazardous nonroutine tasks, the affected employee(s) will be given information by the SO about the hazardous chemicals he or she may use during such activity. This information will include specific chemical hazards, protective and safety measures the employee can use, and steps WESTON is using to reduce the hazards. These steps include, but are not limited to, ventilation, respirators, presence of another employee, and emergency procedures.

#### Chemicals in Unlabeled Pipes

Work activities may be performed by employees in areas where chemicals are transferred through unlabeled pipes. Prior to starting work in these areas, the employee will contact the SO, at which time information as to the chemical(s) in the pipes, potential hazards of the chemicals or the process involved, and the safety precautions that should be taken will be determined and presented.

#### Multi-Employer Work Sites

It is the responsibility of the SO to provide other employers with information about hazardous chemicals imported by WESTON to which their employees may be exposed, along with suggested safety precautions. It is also the responsibility of the SO and the Site Manager to obtain information about hazardous chemicals used by other employers to which WESTON employees may be exposed. WESTON's chemical listing will be made available to other employers, as requested. MSDSs will be available for viewing, as necessary.

The location, format, and/or procedures for accessing MSDS information must be relayed to affected employees.

# ATTACHMENT E AIR SAMPLING DATA SHEETS

				ONITORING				
			Fie	eld Data She	ets			
Location:				Aerosol	GM: Shie Thin W	ld Probe/		
% LEL	% O <sub>2</sub>	PID (units)	FID (units)	Monitor (mg/m³)	mR/hr	срт	Nal (uR/hr)	ZnS (cpm)
	Monit	tox (ppm)			D	etector Tube	s)	
Sound Lev	reis (dBA)	Illumination	рН	Other	Other	Other	Other	Other
Location:								
				Aerosol Monitor	GM: Shle Thin W		Nal	ZnS
% LEL	% O <sub>2</sub>	PID (units)	FID (units)	(mg/m³)	mR/hr	cpm	(uR/hr)	(cpm)
**************************************								
	Monit	tox (ppm)			D	etector Tube	(s)	
Sound Lev	vels (dBA)	Illumination	рН	Other	Other	Other	Other	Other

	AIR M	ONITORIN	NG/SAM	PLING	DATA	LOG		
Client:		· · · · · · · · · · · · · · · · · · ·	W.O. No	). <b>:</b>		Samp	le No.:	
Address:			Sample	d By:	<del></del>	Date:		
		mployee a	nd Locat	on Info	rmation	engegyre vag Taglio	gunine U	
Employee Name:		En	nployee N	o.:		Job Title:		
Respirator ☐ APR ☐ PAPR ☐ SAR ☐ SCBA	☐ 1/2 Mask ☐	Full Face	] Hood ] Hood		acturer:		Cartridg	је Туре:
PPE: Hard H	at HPD	Gloves [	] Safety Sho	es 🔲	Coveralis	☐ Other:		
		S	ampling	Data				
Sampling Type:  TWA STEL  Full Shift Partial				•		Pump Typ	oe/Serial	No.:
Calibrator/Serial No.:		Pre-Cal 1. 2. 3. avg-pre	libration:			Post-Cali 1. 2. 3. avg-post:		
Start Time:	Restart Time:		tart Time:		Avg. Flov			hange:
1 <sup>st</sup> Stop Time:	2 <sup>nd</sup> Stop Time:	3'd S	Stop Time:		Total Tim	ie:	Volu	ıme:
Multiple Samples for thi ☐ Yes ☐ No	s TWA:	Multiple Che ☐ Yes	mical Expo □ No	sures:		Exposure Ti		Vorst Case
		Sam	pling Co	nditions	<u> </u>			
Weather Conditions: Engineering Controls:	Temp:	R.H:	`E	3.P.:	OI	ther:	***************************************	
Engineering Controls.								
Q. b. 44	D	<del>~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~</del>	tances E			Contractana		D#
Substance	Result	Substan	ce	Resu	It.	Substan	ice	Result
						······································	-	***************************************
		Observa	tions and	l Comm	ents		L	
NAME OF THE PROPERTY OF THE PR								
	<u> </u>	1					· · ·	
	_	į .						
			-					
								·

Date: \_\_

QA by: \_

# ATTACHMENT F INCIDENT REPORTING

+ 2 http://prdnet/nokrack/incident	Info.aspx	1	Y.	4, X 6000
dit View Favorites Tools Help				
c	🗸 🦓 Search	···· · · · · · · · · · · · · · · · · ·	Bookmarks - Check • AutoFill •	્રં <b>્ર</b> લે • ે લે ક
€:,Welcome to NOITrack.;	1	1		Page + @ Too
			**************************************	
Moliticals			1000 // 20 元	
<b>V</b> EXOUELLY				
nuon Sanch Ado	randen II		Help Blog	
Incident Info Individual Data	Investigation	File Attachment		
Microcal Para	- Investigation	) The Attachment	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
		*		
Near Incident				Fields marked with * are required
Security		Safety	Computer	Other
Threat or Intimidation		Vehicle	Computer/Technology	[_] Environmental
Act of Violence		☐ Injury	☐ Other	Property/Equipment Damage
Theft		[]] Illness	•	Regulatory Agency
Vandalism		Exposure	,	Other
Violation of Company or Governm Requirements	nent Security	Cher Safety		
Other Security		:		
Vas this a single event or the				
atest in a series(describe)?				347
			It more information is required, add t	he information
in the	submitted descript	tion.		
				1

Please go to NOITrack using the following link to complete incident reporting. If you are in the field and do not have access to NOITrack, please contact someone in your office to do the reporting for you.

http://prdnet/noitrack/IncidentInfo.aspx

Questions can be directed to Susan Hipp-Ludwick at 610.701.3046 or Matt Dillon at 610.701.3667

# ATTACHMENT G AHA CHECKLIST AND ENVIRONMENTAL COMPLIANCE

HAZARD CHECKLIST Site Manager/EHS Officer:  Date: Jackpile Mine Site Investigation Location: Near Paguate, Cibola County, New Mexico Address:							Task Team (name or refere	ence v	ia daily sign-in sheet)	
HAZ	ZARDS IDENTIFIED (chec	k the	se applicable)							
	Chemical		Biologic	al		Physical		Aerial lifts		Remote Areas
	Flammable/combustible		Insects			Noise		Man. Material Handling		Materials handling
	Corrosive	X	Animals			Heat		Demolition		High Pressure Washers
	Oxidizer		Plants		$\boxtimes$	Cold		Excavation		Hand and Power Tools
	Reactive		Mold/Fungus		×	Inclement Weather		Pile Driving		Low Illumination
	Toxic		Viral/Bacterial			Hot Work		Welding/Cutting/Burn		Drilling & Boring
Ø	Inhalation		Density Gauges			Confined Spaces		Hot Surfaces		Striking against/Struck-by
Ø	Eyes/Skin	Ø	Radiological			Stored hazardous Energy		Hot Materials		Caught-in/Caught between
	Pesticides		Ultra-Violet			Elevation		Rough Terrain		Pushing/pulling
	Carcinogen		Sunlight			Utilities		Compressed Gases		Falls at same level
	Asbestos		Infrared			Machinery		Hazardous Mat. Storage		Falls from elevation
	Lead		Lasers	·		Mobile equipment		Diving		Repetitive motion
	UXO/OE/ CWM		XRF			Cranes		Operation of Boats		High (>110v) Electricity
	Process Safety		Isotopes			Manual Material Handling		Working Over Water		Slippery surface Ice/Snow
	Applying Paint/Coatings					Ladders		Traffic		
						Scaffolding		Site Security		
REC	QUIRED PROTECTION (c)	neck	those applicab	le)						a and the
	Engineering Controls		Administr Contro			. F	PPE			Contingency
	Guard Rails	m	Qualified for task		П	Air Supplying Respirator	$\top \Box$	Tvvek coveralis	Ø	Emergency Signal Known
	Machine Guards	×	Trained/Certified		Ħ	Air Purifying Respirator	1 1	Coated Coveralls	Ø	Eye wash/shower Location
	Sound Barriers		Hot Work Permit			SCBA		Welding leathers	Ø	First Aid Kit Location
	Enclosure		CSE Permit			Hard Hat		CWM	X	Fire Extinguisher Location
	Elevation		Lockout/Tag Out			Ear Plugs	$\boxtimes$	Safety Shoes/Boots		Spill Kit Location
H	Isolation		Work Permit			Ear Muffs		Rubber Boots	X	Severe weather shelter
	GFCI		Dig Safe Permit		$\boxtimes$	Safety Glasses		Gloves	X	Evacuation Routes
	Assured Ground Program		Contingency Plan			Goggles		Cooling Suits		
	Apply Anti-slip/skid Mat		Critical Lift Plans			Chemical Goggles		Ice Vests		
	·		Equip. Inspection :	Sheets		Face Shield		Radiant heat Suits		
1 . 1						Thermal Shield		Fall Arrest		
						Welding Mask		PFD	-	
						Cutting Glasses		Electrical insulation		
		*							•	
Any I	Modification to Tasks (list)			Other tasks of	or acti	vities that may affect my activity		Reasons for any changes in	ndicate	ed above

# Environmental Compliance Considerations:

Generation of Hazardous Waste*	→Waste Identification & Manifesting - Marking, Placarding, Labeling
Generation of Investigation Derived Waste*	→Training & Licensing for Use of Radioactive Materials/Sources
Treatment, Storage, or Disposal of Hazardous Waste*	→ Containers: dated, labeled, closed, full, stored less than 90 days
Contingency to prevent or contain hazardous materials or oil spills or discharges to drains, body of water, soil*	→ Risk of explosion or catastrophic release due to chemical storage or processing involving reactivity, flammables, solvents or explosives
Disturbing of Asbestos Containing Materials (ACM)*	→Training & Licensing for Asbestos Remediation Activities
Application of Pesticides or Herbicides*	
Work on Above or Under-ground Storage Tanks*	
Transportation, Storage or Disposal of Radioactive Material*	ļ.
Activities producing or generating Air Emissions (or fugitive "fence-line" emissions) requiring either monitoring and/or permit*	
Excavations, Drilling, Probing or other activities that could impact underground utilities, pipelines, sewer or treatment systems.	
Shipment of Hazardous Waste off-site* Shipment of Samples in accordance with DOT/IATA	

<sup>\*</sup> Indicates need for an environmental compliance plan. (See Decon section of HASP area)

# ATTACHEMNT H AUDIT FORMS

Insert documents on following page.

Project Name:		•
Inspector:		
Submit to:	· .	
	Date:	



## THE WESTON SITE APPEARANCE

YES	NO		COMMENT
. 🔲		Is the site secured to prevent inadvertent, unnecessary, or unauthorized access? Are gates closed and locked at any time that the access point is not occupied or visible to site workers?	
П		Are access points posted with signs to indicate client and end-user client name, WESTON's name and logo, names of	
		other contractors and sub-contractors, project name and location, and appropriate safety messages?	
		Are required postings in place (e.g., Labor Poster, Emergency Phone Numbers, Site Map, etc.)?	
		Are site trailers tied down per local code and provided with stairs that have a landing platform with guard and stair railings?	
		Is a Site Safety file system established in the office to maintain records required by applicable safety regulations	-
		Is the Health and Safety Plan (HASP) or Accident Prevention Plan (APP) amended as scope of work changes, hazards are discovered or eliminated or if risk change?	
		is the Site Safety Plan and the Safety Officers Field Manual on site?	:
		Is new employee indoctrination provided?	
		Have site Rules been provided, discussed and signed off on by all employees	
		Incident Reporting procedure explained to all?	
		Is site management trained in the WESTON (and client as applicable) Incident Reporting system?	
		Are NOI and Supplemental Report forms and OSHA 300 Log available on site?	·
		Is Site Management aware of the Case Management and Incident Investigation Procedures?	
		Is there a list of preferred provider medical facilities available?	
		Has the "Inspection By A Regulatory Agency" procedure been reviewed by all site management?	
		Will Competent Persons be required because of activities to be performed, equipment to be used or hazards to be encountered?	·
		POLICIES	
YES	NO		COMMENT
		Each individual employee is aware that he or she responsible for complying with applicable safety requirements, wearing prescribed safety equipment and preventing avoidable accidents.	·
		Do employees understand that they will wear clothing suitable for existing weather and work conditions and the minimum work uniform will include long pants, sleeved work shirts, protective footwear, hard hat, and safety glasses unless otherwise specified via the HASP.	
		Are employees provided safety and health training to enable them to perform their work safely? Is all training documented to indicate the date of the session, topics covered, and names of participants?	
		Safety meetings are conducted daily. The purpose of the meetings are to review past activities, review pertinent tailgate safety topics and establish safe working procedures for anticipated hazards encountered during the day.	
		Training has been provided to all personnel regarding handling of emergency situations that may arise from the activity or use of equipment on the project.	
		Employees/contractors are informed and understand that they may not be under the influence of alcohol, narcotics, intoxicants or similar mind-altering substances at any time. Employees found under the influence of or consuming such substances will be immediately removed from the job site.	
		Site workers and operators of any equipment or vehicles are able to read and understand the signs, signals and operating instructions of their use.	
		Have contractors performing work provided copies of relevant documentation (such as medical fit-for-duty, training certificates, fit-tests, etc.) prior to initiation of the project?	

# SANITATION 29 CFR 1926 Subparts C, D. EM 385-1-1, Section 2

		•	
YES	NO		COMMENT
		Is an adequate supply of drinking water provided. Is potable/drinking water labeled as such? Are there sufficient drinking cups provided?	
		Is there a sufficient number of toilets?	
		Are washing facilities readily available and appropriate for the cleaning needs?	·
		Are washing facilities kept sanitary with adequate cleansing and drying materials?	
		Waste is secured so as not to attract rodents, insects or other vermin?	
		Is an effective housekeeping program established and implemented?	
-		ACCIDENT PREVENTION SIGNS, TAGS, LABELS, SIGNALS, AND PIPING SYSTEM IDENTIFICATION SIGNS, TAGS,	FICATION
YES	NO		COMMENT
		Are signs, tags, and labels provided to give adequate warning and caution of hazards and instruction/directions to workers and the public?	
		Are all employees informed as to the meaning of the various signs, tags and labels used in the workplace and what special precautions are required?.	
		Are construction areas posted with legible traffic signs at points of hazard?	·
		Are signs required to be seen at night lighted or reflectorized?	
		Tags contain a signal word ("danger" or "caution") and a major message to indicate the specific hazardous condition or the instruction to be communicated to the employee. Tags follow requirements as outlined in 29 CFR 1926.200.	
		MEDICAL SERVICES AND FIRST AID 29 CFR 1926 Subparts C, D. EM 385-1-1, Section 3	
YES	NO		COMMENT
		Is a local medical emergency facility (LMEF) identified in the HASP or APP?	
		Has the LMEF been visited to verify the directions and establish contacts?	
		Has site management reviewed WESTON's incident management procedures?	
		Have clinics and specialists that will help WESTON manage injuries and illnesses been identified?	
		Is there at least two (2) people certified in First Aid and CPR?	
		Are first aid kits available at the command post and appropriate remote locations?	
		Are first Aid Kits and Eyewash/Safety Showers inspected weekly?	
		Are 15 minute eyewash/safety showers in place if required.	







### FIRE PREVENTION AND PROTECTION 29 CFR 1926 Subpart F. EM 385-1-1, Section 9

YES	NO		COMMENT
		Is an Emergency Response and Contingency Plan in place?	
		Are emergency phone numbers posted?	
		Are fire extinguishers selected and provided based on the types of materials and potential fire classes in each area.	
		Are fire extinguishers provided in each administrative and storage trailer, within 50 ft but no closer than 25 ft of any fuel or flammable liquids storage, on welding and cutting equipment, on mechanical equipment?	
		Are fire extinguishers checked daily and inspected monthly?	
		Do site personnel know the location of fire extinguishers and how to use them?	
		Are flammable and combustible liquids stored in approved containers?	
		Safety cans are used for dispensing flammable or combustible liquids in 5 gallon or less volumes.	
		Are flammable and combustible liquids stored in flammable storage cabinets or appropriate storage areas?	• -
		Are flammable materials separated from oxidizers by at least 20 feet (or 5 foot tall, ½ -hour rated fire wall) when in storage?	
		Are fuel storage tanks double walled or placed in a lined berm?	
		Spills are cleaned up immediately and wastes are disposed of properly.	
		Combustible scrap, debris and waste material (oily rags) are stored in closed metal containers and disposed of promptly.	
		Vehicle fueling tanks are grounded and bonding between the tank and vehicle being fueled is provided?	
		LPG is stored, handled and used according to OSHA regulations 29 CFR 1926.	
		LPG cylinders are not stored indoors.	
		Is a hot work permit program in place? See WESTON FLD-36	
		Is smoking limited to specific areas, prohibited in flammable storage areas and are signs posted to this effect?	,
		HAZARDOUS SUBSTANCES, AGENTS AND ENVIRONMENTS 29 CFR 1926 Subparts D, Z. EM 385-1-1, Sections 6, 28	₩-
YES	NO		COMMENT
		Are operations, materials and equipment evaluated to determine the presence of hazardous contaminants or if hazardous agents could be released in the work environment?	
		Are MSDS for substances made available at the work-site when any hazardous substance is procured, used, or stored?	
		Are all containers and piping containing hazardous substances labeled appropriately?	
		Is there an inventory of hazardous substances?	
		Is there a site Specific Hazard Communication Program?	
		Spill kits appropriate for the hazardous materials present are on site and their location is known to spill responders.	
		Is disposal of excess hazardous chemicals performed according to WESTON's guidelines and RCRA regulations.	
		Before initiation of activities where there is an identified asbestos or lead hazard, is there a written plan detailing compliance with OSHA and EPA asbestos or lead abatement requirements? Does the plan comply with state and local authority, and USACE requirements, as applicable?	
		Are personnel trained and provided with protection against hazards from animals, poisonous plants and insects?	

# PERSONAL PROTECTIVE AND SAFETY EQUIPMENT, RESPIRATORY AND FALL PROTECTION 29 CFR 1926 Subparts D, E, M. EM 385-1-1, Section 5

YES	NO		COMMENT
		Do employees understand that the minimum PPE is hard hat, safety glasses with side shields and safety shoes or boots and that long pants and a sleeved shirt are required?	
		Has the SSHC reviewed the PPE requirements in the HASP against actual site conditions and certified that the PPE is appropriate? (see Field Manual, PPE Program)	
		PPE is inspected, tested and maintained in serviceable and sanitary condition as recommended by the manufacturer. Is defective or damaged equipment taken out of service and repaired or replaced?	
		Are workers trained in the use of the PPE required?	
		Are personnel exposed to vehicular or equipment traffic, including signal persons, spotters or inspectors required to vests or apparel marked with a reflective or high visibility material?	
		Is there a noise hazard? If yes, hearing protection will be required.	
		Is there a splash or splatter hazard? Face shields or goggles will be required.	
		Will personnel be working in or over water? Personnel Floatation devices will be required.	
		Is there a welding hazard? Welding helmet and leathers will be required. Is there a cutting torch hazard? Goggles and protective clothing will be required.	
		Is each person on a walking/working surface with an unprotected side or edge which is 6 feet (1.8 m) or more above a lower level protected from falling by the use of guardrail systems, safety net systems or personal fall arrest systems? See WESTON FLD 25 (Note General Industry standard is four feet).	
		Guardrail systems are used as primary protection whenever feasible. Guardrail construction meets criteria in 29 CFR 1926.502(b).	
		Personal fall arrest systems (PFAS) are inspected and appropriate for use.	
		Ropes and straps (webbing) used in lanyards, lifelines, and strength components of body belts and body harnesses are from synthetic fibers.	
		Safety nets and safety net installations are constructed, tested and used according to 29 CFR 1926.502.c	
		Is respirator use required? See WESTON Respiratory Protection Program	
		Persons using respiratory protection have been successfully medically cleared, trained and fit tested.	
		Respirators are used according to the manufacturer's instructions, regulatory requirements, selection criteria and health and safety plan provisions.	
		For Level C operations with organic vapor contamination, is the cartridge change-out schedule documented?	
		Is breathing certified as Grade D, or better, and certification available on-site?	

# MACHINERY AND MECHANIZED EQUIPMENT 29 CFR 1926 Subparts N, O. EM 385-1-1, Sections 16, 17, 18

YES	NO		COMMENT
		Are inspections of machinery by a competent person established?	
		Is equipment inspected daily before its next use?	
		Equipment inspection reports are reviewed, followed-up on negative findings and records of inspections are maintained?	
		Machinery or equipment found to be unsafe is taken out of service until the unsafe condition has been corrected.	
		Is there a preventive maintenance program established?	
		Are operators of equipment qualified and authorized to operate?	
		Is all self-propelled construction and industrial equipment equipped with a reverse signal alarm?	
		Are seats or equal protection provided for each person required to ride on equipment. Are seatbelts installed and worn on motor vehicles, as appropriate.	
		All equipment with windshields is equipped with powered wipers. If fogging or frosting is possible, operable defogging or defrosting devices are required.	
		Internal combustion engines are not operated in enclosed areas unless adequate ventilation are made. Air monitoring is conducted to assure safe working conditions.	
		Is each buildozer, scraper, dragline, crane, motor grader, front-end loader, mechanical shovel, backhoe, or similar equipment equipped with at least one dry chemical or carbon dioxide fire extinguisher with a minimum rating of 5-B:C?	
		Will cranes or other lifting devices be used? If so, are the following documents available on site: 1) a copy of the operating manual, 2) load rating chart, 3) log book, 4) a copy of the last annual inspection and 5) the initial on-site inspection?	
		Do operators have certificates of training to operate the type of crane(s) to be used?	
		Is a signal person provided when the point of operation is not in full view of the vehicle, machine or equipment operator? When manual (hand) signals are used, is only one person designated to give signals to the operator?	- cir.
		Signal persons back one vehicle at a time. While under the control of a signal person, drivers do not back or maneuver until directed. Drivers stop if contact with the signal person is lost.	
		Is a critical lift plan prepared by a competent person whenever:  a lift is not routine, or a lift exceeds 75% of a crane's capacity,  a lift results in the load being out of the operator's line of sight, or a lift involves more than one crane,  a man basket is used, or the operator believes there is a need for a critical lift plan.	deg en
		Fork Lifts (Powered Industrial Trucks) - Will forklifts be used on site?	
		All fork lifts meet the requirements of design, construction, stability, inspection, testing, maintenance and operation as indicated in ANSI/ASME B56.1 Safety Standards for Low Lift and High Lift Trucks.	
		Do forklift operators have certificates of training?	
		Are pile driving operations conducted according to EM 385-1-1, Section 16.L?	
		Is drilling equipment operated, inspected, and maintained as specified in the manufacturer's operating manual? Is a copy of the manual available at the work-site? See also the Drilling Safety Guide in the Safety Officers Field Manual.	
		Are flag persons provided when operations or equipment on or near a highway expose workers to traffic hazards? Do flag persons and persons working in proximity to a road wear high visibility vests? Are persons exposed to highway vehicle traffic protected by signs in all directions warning of the presence of the flag persons and the work? Do signs and distances from the work zone conform to federal and local regulations?	,

# MOTOR VEHICLES 29 CFR 1926 Subpart O. EM 385-1-1, Section 18

YES	NO		COMMENT
ITT	П	Motor vehicle operators have a valid permit, license, or certification of ability for the equipment being operated.	
一		Inspection, maintenance and repair is according to manufacturer's requirements by qualified persons.	
同		Vehicles are inspected on a scheduled maintenance program.	
		Vehicles not in safe operating condition are removed from service until defects are corrected.	
		Glass in windshields, windows, and doors is safety glass. Any cracked or broken glass is replaced.	
		Seatbelts are installed and worn.	
		The number of passengers in passenger-type vehicles does not exceed the number which can be seated.	
		Trucks used to transport personnel have securely anchored seating, a rear endgate, and a guardrail.	
		No person is permitted to ride with arms or legs outside of a vehicle body; in a standing position on the body; on running boards; seated on side fenders, cabs, cab shields, rear of the truck or on the load.	
П	П	ATV operators possess valid state drivers license, have completed an ATV training course prior to operation of the	
		vehicle, and wear appropriate protective equipment such as helmets, boots, and gloves.	
		EXCAVATING AND TRENCHING 29 CFR 1926 Subpart P. EM 385-1-1, Section 25	•
YES	NO		COMMENT
		Has the known or estimated location of utility installations such as sewer, telephone, fuel, electric, water lines, or any other underground installations that may be expected to be encountered during excavation been determined before excavation? Have utility locations been verified by designated state services according to state regulations? Has the client provided clearance where state jurisdiction doesn't apply?	
		Have overhead utilities in excavation areas been identified and either de-energized, shielded or barricaded so excavating equipment will not come within 10 feet?	
		Are inspections of the excavation, the adjacent areas, and protective systems made daily and as necessary by a competent person?	
		Are Protective systems in place as prescribed by the competent person?	·
		Is material removed from excavations managed so it will not overwhelm the protective systems?	
		Are barriers provided between excavations and walkways?	,
		Are excavations by roadways barricaded to warn vehicles of presence or to prevent them from falling in?	
		Is there a means of exit from the excavation every 25 feet?	
		Is air monitoring required? If yes, is it performed?	
		CONFINED SPACES 29 CFR 1910 Subpart J. EM 385-1-1, Section 6	
YES	NO		COMMENT
		Is there a Confined Space Entry Program in place?	
		Are the confined Spaces identified and labeled?	
		Will the Confined Spaces be entered?	
		Is appropriate entry documentation used and on-file?	

C:\Documents and Settings\brownm\Local Settings\Temporary Internet Files\Content.Outlook\IU8ZWQYC\HASP Paguate DRAFT (2).docx







# ELECTRICAL 29 CFR 1926 Subpart K. EM 385-1-1, Section 11

YES	NO		COMMENT
		Are electrical installations made according to the National Electrical Code and applicable local codes?	
		Qualified electricians make all connections and perform all work within 10 feet of live electric equipment.	
		Location of underground, overhead, under floor, behind wall electrical lines is known and communicated. Lines are documented by qualified person as de-energized where necessary.	
		Workers understand they must not work near live parts of electric circuits, unless they are qualified as required by OSHA or are protected by de-energizing and grounding the parts, guarding the parts by insulation, or other effective means?	
		Employees who regularly work on or around energized electrical equipment or lines are instructed in the cardiopulmonary resuscitation (CPR) methods.	
		Workers are prohibited from working alone on energized lines or equipment over 600 volts.	
	. 🗆	Are Ground-fault circuit interrupters (GFCl's) or is ground fault circuit protection provided to protect employees from ground-fault hazards for all 115 – 120 Volt, 15 and 20 amp receptacle outlets which are not a part of the permanent wiring of a building or structure at construction sites?	
		Circuit breakers are labeled.	
		Circuit breaker and all cabinets with exposed electric conductors are kept tightly closed.	
		Unused openings (including conduit knockouts) in electrical enclosures and fittings are closed with appropriate covers, plugs or plates.	·
		Sufficient access and working space is provided and maintained about all electrical equipment to permit ready and safe operations and maintenance.	
		Motors are located within sight of their controllers or controller disconnecting means are capable of being locked in the pen position or is a separate disconnecting means installed in the circuit within sight of the motor.	
		Are visual inspections of extension cords and cord-and plug-connected equipment conducted daily? Is equipment found damaged or defective tagged and removed from service, and not used until repaired?	•
		Wet Areas - Is portable lighting used in wet or conductive locations, such as tanks or boilers operated at no more than 12 volts and protected by GFCIs.	
		Are electrical installations in hazardous areas to NEC?	
		Metal ladders and tools including tape measures or fabric with metal thread are prohibited where contact with energized electrically parts is possible.	
		All extension cords are the three-wire type, designed and rated for hard or extra hard usage?	
		Worn or frayed electrical cords or cables are taken out of service. Fastening with staples, hanging from nails or suspending extension cords by wire is prohibited.	
		Electric wire/flexible cord passing through work areas is protected from damage such as foot traffic, vehicles, sharp corners, projections and pinching? Flexible cords and cables passing through holes are protected by bushings or fittings?	
		Before an employee or contractor performs any service or maintenance on a system where the unexpected energizing, start up, or release of kinetic or stored energy could occur and cause injury or damage, the system is to be isolated. Only authorized persons may apply and remove lockouts and tags.	
		Contractors planning to use hazardous energy control procedures submit their hazardous energy control plan to the WESTON site safety officer or designee before implementing lockout/tagout procedures.	
		There is a site specific hazardous energy control plan that clearly and specifically outlines the scope, purpose, authorization, rules and techniques to be used for the control of hazardous energy.	
		Workers possess the knowledge and skills required for the safe application, usage and removal of energy controls.	

### WELDING AND CUTTING 29 CFR 1926 Subpart J. EM 385-1-1, Section 10

YES	NO		COMMENT
		Prior to performing welding, cutting or any other heat or spark producing activity, an assessment of the area is made by a competent person to identify combustible materials and potential sources of flammable atmospheres.	·
		Welders, cutters and their supervisors are trained in the safe operation of their equipment, safe welding and cutting practices, hot work permit requirements, and fire protection.	
		Welding and cutting equipment is inspected daily before use. Unsafe equipment is taken out of use, replaced or repaired.	
		Workers and the public is shielded from welding rays, flashes, sparks, molten metal and slag.	
		Employees performing welding, cutting or heating are protected by PPE appropriate for the hazards (e.g., respiratory, vision and skin protection).	
		Compatible fire extinguishing equipment is provided in the immediate vicinity of welding or cutting operations.	
		Drums, tanks, or other containers and equipment which have contained hazardous materials shall be thoroughly cleaned before welding or cutting. Cleaning shall be performed in accordance with NFPA 327, Cleaning or Safeguarding Small Tanks and Containers, ANSI/AWS-F4.1, Recommended Safe Practices for the Preparation for Welding and Cutting of Containers That Have Held Hazardous Substances, and applicable health and safety plan requirements.	

# HAND AND POWER TOOL SAFETY 29 CFR 1926 Subpart I. EM 385-1-1, Section 13

YES	NO		COMMENT
		Power tools are from a manufacturer listed by a nationally recognized testing laboratory for the specific application for which they are to be used.	
		Hand & power tools are inspected, maintained, tested and determined to be in safe operating condition before use.	
		Tools found to be unsafe are not used, tagged and repaired or destroyed.	
		Users of tools are trained in safe use.	
		Electrical tools have cords and plug connections in good repair.	
		Electrical tools are effectively grounded or approved double insulated.	
		Reciprocating, rotating, and moving parts of equipment are guarded if they may be accessed by employees or they otherwise create a hazard.	
		Safety clips/retainers are installed and maintained on pneumatic impact tool connections.	
		Chain saws have an automatic chain brake or anti-kickback device.	
		Pneumatic and hydraulic hoses and fittings are inspected regularly.	
		Employees who operate powder actuated tools are trained and carry valid operators cards.	
		Powder activated tools are stored in individual locked containers, when not in use and are not loaded until ready to use.	
		Powder actuated tools are inspected for obstructions or defects daily before use.	
		Powder actuated tool operators have appropriate PPE.	



## RIGGING 29 CFR 1926 Subpart H. EM 385-1-1, Section 15

YES	NO		COMMENT
		Rigging equipment is inspected as specified by the manufacturer, by a qualified person, before use on each shift and as necessary to assure that it is safe.	
		Defective equipment is removed from service.	
		Rigging not in use is removed from the work area, properly stored, and maintained in good condition.	
		Wire rope removed from service for defects is cut up or plainly marked as unfit for use as rigging.	
		The number of saddle clips used to form eyes in wire rope conforms with Table H-20, are spaced evenly and the saddles are on the live side.	
		Chain rigging has a tag clearly indicating load limits, is inspected before initial use, then weekly, and is of alloyed metal.	
		Fiber rope rigging is not used if it is frozen or has been subject to acids or excessive heat.	
		Slings and their fittings and fastenings are inspected before use on each shift and as needed during use.	
		Drums, sheaves, and pulleys on rigging hardware are smooth and free of surface defects that can damage rigging.	
		MATERIAL HANDLING, STORAGE, AND DISPOSAL 29 CFR 1926 Subpart H. EM 385-1-1, Section 14	
YES	NO	,	
1 - 20	INO	<u> </u>	COMMENT
		Employees are trained in and use safe lifting techniques.	COMMENT
		Employees are trained in and use safe lifting techniques.  Materials are not moved or suspended over workers unless positive precautions have been taken to protect workers.	COMMENT
		Materials are not moved or suspended over workers unless positive precautions have been taken to protect workers.  Conveyors are constructed, inspected, & maintained by qualified persons according to manufacturer's recommendations.	COMMENT
		Materials are not moved or suspended over workers unless positive precautions have been taken to protect workers.  Conveyors are constructed, inspected, & maintained by qualified persons according to manufacturer's	
		Materials are not moved or suspended over workers unless positive precautions have been taken to protect workers.  Conveyors are constructed, inspected, & maintained by qualified persons according to manufacturer's recommendations.	
		Materials are not moved or suspended over workers unless positive precautions have been taken to protect workers.  Conveyors are constructed, inspected, & maintained by qualified persons according to manufacturer's recommendations.  All conveyors are to be equipped with emergency stopping devices.  Hazardous exposed moving machine parts are guarded mechanically, electrically or by location.  Controls are clearly marked and/or labeled to indicate the function controlled.	
		Materials are not moved or suspended over workers unless positive precautions have been taken to protect workers.  Conveyors are constructed, inspected, & maintained by qualified persons according to manufacturer's recommendations.  All conveyors are to be equipped with emergency stopping devices.  Hazardous exposed moving machine parts are guarded mechanically, electrically or by location.  Controls are clearly marked and/or labeled to indicate the function controlled.  Taglines are used for suspended loads where the movement may be hazardous to persons.	
		Materials are not moved or suspended over workers unless positive precautions have been taken to protect workers.  Conveyors are constructed, inspected, & maintained by qualified persons according to manufacturer's recommendations.  All conveyors are to be equipped with emergency stopping devices.  Hazardous exposed moving machine parts are guarded mechanically, electrically or by location.  Controls are clearly marked and/or labeled to indicate the function controlled.  Taglines are used for suspended loads where the movement may be hazardous to persons.  Material in storage is protected from falling or collapse by effective stacking, blocking, cribbing, etc.	
		Materials are not moved or suspended over workers unless positive precautions have been taken to protect workers.  Conveyors are constructed, inspected, & maintained by qualified persons according to manufacturer's recommendations.  All conveyors are to be equipped with emergency stopping devices.  Hazardous exposed moving machine parts are guarded mechanically, electrically or by location.  Controls are clearly marked and/or labeled to indicate the function controlled.  Taglines are used for suspended loads where the movement may be hazardous to persons.  Material in storage is protected from falling or collapse by effective stacking, blocking, cribbing, etc.  Walkways and aisles are to be kept clear.	
		Materials are not moved or suspended over workers unless positive precautions have been taken to protect workers.  Conveyors are constructed, inspected, & maintained by qualified persons according to manufacturer's recommendations.  All conveyors are to be equipped with emergency stopping devices.  Hazardous exposed moving machine parts are guarded mechanically, electrically or by location.  Controls are clearly marked and/or labeled to indicate the function controlled.  Taglines are used for suspended loads where the movement may be hazardous to persons.  Material in storage is protected from falling or collapse by effective stacking, blocking, cribbing, etc.  Walkways and aisles are to be kept clear.  Materials are not stored on scaffolds or runways in excess of normal placement or in excess of safe load limits.	
		Materials are not moved or suspended over workers unless positive precautions have been taken to protect workers.  Conveyors are constructed, inspected, & maintained by qualified persons according to manufacturer's recommendations.  All conveyors are to be equipped with emergency stopping devices.  Hazardous exposed moving machine parts are guarded mechanically, electrically or by location.  Controls are clearly marked and/or labeled to indicate the function controlled.  Taglines are used for suspended loads where the movement may be hazardous to persons.  Material in storage is protected from falling or collapse by effective stacking, blocking, cribbing, etc.  Walkways and aisles are to be kept clear.  Materials are not stored on scaffolds or runways in excess of normal placement or in excess of safe load limits.  Work areas and means of access are maintained safe and orderly.	
		Materials are not moved or suspended over workers unless positive precautions have been taken to protect workers.  Conveyors are constructed, inspected, & maintained by qualified persons according to manufacturer's recommendations.  All conveyors are to be equipped with emergency stopping devices.  Hazardous exposed moving machine parts are guarded mechanically, electrically or by location.  Controls are clearly marked and/or labeled to indicate the function controlled.  Taglines are used for suspended loads where the movement may be hazardous to persons.  Material in storage is protected from falling or collapse by effective stacking, blocking, cribbing, etc.  Walkways and aisles are to be kept clear.  Materials are not stored on scaffolds or runways in excess of normal placement or in excess of safe load limits.  Work areas and means of access are maintained safe and orderly.  Tools, materials, extension cords, hoses or debris do not cause tripping or other hazards.	
		Materials are not moved or suspended over workers unless positive precautions have been taken to protect workers.  Conveyors are constructed, inspected, & maintained by qualified persons according to manufacturer's recommendations.  All conveyors are to be equipped with emergency stopping devices.  Hazardous exposed moving machine parts are guarded mechanically, electrically or by location.  Controls are clearly marked and/or labeled to indicate the function controlled.  Taglines are used for suspended loads where the movement may be hazardous to persons.  Material in storage is protected from falling or collapse by effective stacking, blocking, cribbing, etc.  Walkways and aisles are to be kept clear.  Materials are not stored on scaffolds or runways in excess of normal placement or in excess of safe load limits.  Work areas and means of access are maintained safe and orderly.	

accord with applicable local, state, or federal requirements.

# FLOATING PLANT AND MARINE ACTIVITIES 29 CFR 1926 Subpart O. EM 385-1-1 Section 19

YES	NO		COMMENT
		Floating plants that are regulated by the USCG have current inspections and certificates.	
		Before any floating plant is brought to the job site and placed in service it is inspected and determined to be in safe operating condition	
		Periodic inspections are made such that safe operating conditions are maintained. Strict compliance with EM 385-1-1, Section 19 is expected.	
		Plans are in place for removing or securing the plant and evacuation of personnel endangered by severe weather and other marine emergencies such as; fire, flooding, man overboard, hazardous materials incidents, etc	
		Means of access are properly secured, guarded, and maintained free of slipping and tripping hazards.	
		Dredging operations follow guidelines as established in EM 385-1-1, Section 19.D.	

# PRESSURIZED EQUIPMENT AND SYSTEMS 29 CFR 1926 Subparts I, F. EM 385-1-1, Section 20

YES	NO		COMMENT
		Pressurized equipment and systems are inspected before being placed into service.	
		Pressurized equipment or systems found to be unsafe are tagged "Out of Service-Do Not Use".	•
		Systems and equipment are operated, inspected and maintained by qualified, designated personnel.	
		Safe clearance, lockout/tagout procedures are followed as appropriate during maintenance or repair.	
		Air hose, pipes, fittings are pressure-rated for the activity. Defective hoses are removed from service.	
		Hoses aren't laid over ladders, steps, scaffolds, or walkways in a manner that creates a tripping hazard.	
		The use of compressed air for personal cleaning is prohibited. The use of compressed air for other cleaning is restricted to less than 30 psig.	
		Compressed gas cylinders are stored in well-ventilated locations.	
		Cylinders in storage are separated from flammable or combustible liquids and from easily ignitable materials by at least 40 feet or by a minimum five feet tall, ½ -hour fire resistive partition.	
		Stored cylinders containing oxidizing gases are separated from fuel gas cylinders by at least 20 feet or by a minimum five feet tall, ½ -hour fire resistive partition.	
		Cylinder valve caps are in place when cylinders are in storage, in transit, or a regulator is not in place.	
		Compressed gas cylinders in service are secured in substantial fixed or portable racks or hand trucks.	
		Oxygen cylinders and fittings are kept away from, and free from oil and grease.	
		Cylinder Storage areas are posted with the names of the gases in storage and with signs indicating "No Smoking or Open Flame".	
		Cylinders are to be stored such that mechanical and corriosion damage is avoided. Cylinders are not to be stored in areas required as an egress path.	
		Cylinders may be stored in the open outdoors, however, they must be protected from the ground to prevent corrosion and must be protected from temperatures that may exceed 125 degrees F.	

C:\Documents and Settings\brownm\Local Settings\Temporary Internet Files\Content.Outlook\U8ZWQYC\HASP Paguate DRAFT (2).docx




## WORK PLATFORMS/SCAFFOLDS 29 CFR 1926 Subparts L, M, N. EM 385-1-1 Sections 21, 22

YES	NO	СОММ	ENT
		Work platforms are erected, used, inspected, tested, maintained and repaired according to manufacturer's requirements.	
		Construction, inspection, and disassembly of scaffolds is under the direction of a competent person.	
		Workers on scaffolding have been trained by a qualified person.	
		Scaffolds are erected on a firm and level surface and are square and plumb.	
		Scaffolds are not loaded in excess of rated capacity.	
		Working levels of work platforms are fully planked or decked.	
		Planks are in good condition and free from obvious defects.	
		Fabricated frame scaffolding four times higher than the base width is secured to building/structure according to manufacturer's instruction and/or OSHA requirements.	
		Working platforms of scaffolding over ten feet in height have guard rails meeting OSHA specifications. Fall protection is suggested at four feet or greater.	
		Scaffolding/work platforms are accessed by means of a properly secured ladder or equivalent. Built on ladders conform to	
	,	scaffold ladder requirements. Climbing of braces is not allowed.	
		Crane supported work platforms are designed and used in accordance with OSHA standards.	,
		Elevating work platforms are operated, inspected and maintained according to the equipment operations manual.	
			1
		Employees working in aerial lifts remain firmly on the floor of the basket. Employees use fall protection while in an aerial lift basket.	
;		aerial lift basket.  WALKING AND WORKING SURFACES AND STAIRS	· · · · · · · · · · · · · · · · · · ·
		aerial lift basket.	· · · · · · · · · · · · · · · · · · ·
YES	NO	aerial lift basket.  WALKING AND WORKING SURFACES AND STAIRS	COMMENT
YES	NO NO	aerial lift basket.  WALKING AND WORKING SURFACES AND STAIRS	
YES	NO O	WALKING AND WORKING SURFACES AND STAIRS 29 CFR 1926 Subparts L, M, X. EM 385-1-1, Sections 21, 22, 24	
YES	NO O	WALKING AND WORKING SURFACES AND STAIRS 29 CFR 1926 Subparts L, M, X. EM 385-1-1, Sections 21, 22, 24  Work areas are clean, sanitary, and orderly	
YES	NO	WALKING AND WORKING SURFACES AND STAIRS 29 CFR 1926 Subparts L, M, X. EM 385-1-1, Sections 21, 22, 24  Work areas are clean, sanitary, and orderly  Work surfaces are kept dry or appropriate means are taken to assure the surfaces are slip-resistant  Accumulations of combustible dust are routinely removed.  Aisles and passageways are kept clear and marked as appropriate.	
YES	NO	WALKING AND WORKING SURFACES AND STAIRS 29 CFR 1926 Subparts L, M, X. EM 385-1-1, Sections 21, 22, 24  Work areas are clean, sanitary, and orderly  Work surfaces are kept dry or appropriate means are taken to assure the surfaces are slip-resistant  Accumulations of combustible dust are routinely removed.	
YES	NO CONTRACTOR OF THE PROPERTY	WALKING AND WORKING SURFACES AND STAIRS 29 CFR 1926 Subparts L, M, X. EM 385-1-1, Sections 21, 22, 24  Work areas are clean, sanitary, and orderly  Work surfaces are kept dry or appropriate means are taken to assure the surfaces are slip-resistant  Accumulations of combustible dust are routinely removed.  Aisles and passageways are kept clear and marked as appropriate.	
YES	NO III III III III III III III III III I	WALKING AND WORKING SURFACES AND STAIRS 29 CFR 1926 Subparts L, M, X. EM 385-1-1, Sections 21, 22, 24  Work areas are clean, sanitary, and orderly  Work surfaces are kept dry or appropriate means are taken to assure the surfaces are slip-resistant  Accumulations of combustible dust are routinely removed.  Aisles and passageways are kept clear and marked as appropriate.  There is safe clearance for walking in aisles where motorized or mechanical handling equipment is operating.	
YES	NO	WALKING AND WORKING SURFACES AND STAIRS 29 CFR 1926 Subparts L, M, X. EM 385-1-1, Sections 21, 22, 24  Work areas are clean, sanitary, and orderly  Work surfaces are kept dry or appropriate means are taken to assure the surfaces are slip-resistant  Accumulations of combustible dust are routinely removed.  Aisles and passageways are kept clear and marked as appropriate.  There is safe clearance for walking in aisles where motorized or mechanical handling equipment is operating.  Materials or equipment is stored in such a way that sharp projections will not interfere with the walkway.	
YES	NO III III III III III III III III III I	WALKING AND WORKING SURFACES AND STAIRS 29 CFR 1926 Subparts L, M, X. EM 385-1-1, Sections 21, 22, 24  Work areas are clean, sanitary, and orderly  Work surfaces are kept dry or appropriate means are taken to assure the surfaces are slip-resistant  Accumulations of combustible dust are routinely removed.  Aisles and passageways are kept clear and marked as appropriate.  There is safe clearance for walking in aisles where motorized or mechanical handling equipment is operating.  Materials or equipment is stored in such a way that sharp projections will not interfere with the walkway.  Changes of direction or elevation are readily identifiable.  Aisles or walkways that pass near moving or operating machinery, welding operations or similar operations are arranged so employees will not be subjected to potential hazards.	
	NO	WALKING AND WORKING SURFACES AND STAIRS 29 CFR 1926 Subparts L, M, X. EM 385-1-1, Sections 21, 22, 24  Work areas are clean, sanitary, and orderly  Work surfaces are kept dry or appropriate means are taken to assure the surfaces are slip-resistant  Accumulations of combustible dust are routinely removed.  Aisles and passageways are kept clear and marked as appropriate.  There is safe clearance for walking in aisles where motorized or mechanical handling equipment is operating.  Materials or equipment is stored in such a way that sharp projections will not interfere with the walkway.  Changes of direction or elevation are readily identifiable.  Aisles or walkways that pass near moving or operating machinery, welding operations or similar operations are arranged so employees will not be subjected to potential hazards.  Standard guardrails are provided wherever aisle or walkway surfaces are elevated more than 30 inches above any	
		WALKING AND WORKING SURFACES AND STAIRS 29 CFR 1926 Subparts L, M, X. EM 385-1-1, Sections 21, 22, 24  Work areas are clean, sanitary, and orderly  Work surfaces are kept dry or appropriate means are taken to assure the surfaces are slip-resistant  Accumulations of combustible dust are routinely removed.  Aisles and passageways are kept clear and marked as appropriate.  There is safe clearance for walking in aisles where motorized or mechanical handling equipment is operating.  Materials or equipment is stored in such a way that sharp projections will not interfere with the walkway.  Changes of direction or elevation are readily identifiable.  Aisles or walkways that pass near moving or operating machinery, welding operations or similar operations are arranged so employees will not be subjected to potential hazards.	

		Stairs angle no more than 50 and no less than 30 degrees, risers are uniform from top to bottom (plus or minus 1/4 inch) and are provided with a surface that renders them slip resistant.	
		Stairway handrails are not less than 36 inches above the leading edge of stair treads and have at least 3 inches of clearance between the handrails and the wall or surface they are mounted on.	
		Where doors or gates open directly on a stairway, there is a platform provided so the swing of the door does not reduce the width of the platform to less than 20 inches.	
		Where stairs or stairways exit directly into any area where vehicles may be operated, there are adequate barriers and warnings provided to prevent employees stepping into the path of traffic.	
		Signs are posted showing the load capacity of elevated storage areas.	
		An appropriate means of access and egress is provided for surfaces with 19 or more inches of elevation change.	
		Material on elevated surfaces is minimized, with that necessary for immediate work requriements piled, stacked or racked in a manner to prevent it from tipping, falling, collapsing, rolling or spreading.	
		FLOOR AND WALL HOLES AND OPENINGS 29 CFR 1926 Subpart M. EM 385-1-1, Section 24	
YES	NO	· · · · · · · · · · · · · · · · · · ·	COMMENT
YES	NO D	· · · · · · · · · · · · · · · · · · ·	COMMENT
YES	NO D	29 CFR 1926 Subpart M. EM 385-1-1, Section 24	COMMENT
YES	NO III	29 CFR 1926 Subpart M. EM 385-1-1, Section 24  Floor and roof openings that persons can walk into or fall through are guarded by a physical barrier or covered.  Holes (defined as equal to or greater than 2 inches in least dimension) where person could trip must be	COMMENT
YES	NO III	29 CFR 1926 Subpart M. EM 385-1-1, Section 24  Floor and roof openings that persons can walk into or fall through are guarded by a physical barrier or covered.  Holes (defined as equal to or greater than 2 inches in least dimension) where person could trip must be covered/protected.  Unprotected sides and edges on a walking/working surface six feet or more (note four feet in General Industry) are	COMMENT







YES	NO		COMMENT
		Portable ladders are used for their designed purpose only.	
		Portable ladders are examined for defects prior to, and after use.	
		Ladders found to be defective are clearly tagged to indicate "DO NOT USE" if repairable, or destroyed immediately if no repair is possible.	
		Workers are trained in hazards associated with ladder use and how to inspect ladders.	
		Ladders have secure footing provided by a combination of safety feet, top of ladder tie-offs and mud cills or a person holding the ladder to prevent slipping.	
		The handrails of a straight ladder used to get from one level to another extend at least 36 inches above the landing.	
		Ladders conform to construction criteria of ANSI Standards A-14.1 and A-14.2.	
		Wooden ladders are not painted with an opaque covering such that signs of flaws, cracks or drying are obscured.	
		Fixed ladders are constructed and used according to OSHA Standards, 29 CFR 1910.27 and ANSI A-14.3.	
		Rungs, cleats or steps, and side rails that may be used for handholds when climbing, offer adequate gripping surface and are free of splinters, slivers or burrs, and substances that could cause slipping.	·.
		Fixed ladders of greater than 24 feet have cages or other approved fall protection devices. (note General Industry is 20 feet).	
		Where fall protection is provided by ladder safety systems (body belts or harnesses, lanyards and braking devices with safety lines or rails), systems meet the requirements of and are used in accordance with WESTON Fall Protection Standard Practices and are compatible with construction of the ladder system.	
		DEMOLITION 29 CFR 1926 Subpart T. EM 385-1-1, Section 23	
YES	NO		COMMENT
		Prior to initiating demolition activities an engineering survey (by a competent person) and a demolition plan (by a competent person) is completed.	
		All employees engaged in demolition activities are instructed in the demolition plan.	
.0		It has been determined through the engineering survey and outlined in the plan, if any hazardous materials, or conditions (e.g., asbestos, lead, utility connections, etc.) exist. Such hazards are controlled or eliminated before demolition is started.	**
		Continued inspections, by a competent person, are conducted to ensure safe employee working conditions.	
		TREE MAINTENANCE AND REMOVAL 29 CFR 1910 Subpart R. EM 385-1-1, Section 31	
YES	NO		COMMENT
		Tree maintenance or removal is done is under the direction of a qualified person.	
		Tree work, in the vicinity of charged electric lines, is by trained persons qualified to work with electricity and tree work.  Appropriate distances are maintained for all workers who are not qualified.	
		Equipment is inspected, maintained, repaired and used in accordance with the manufacture's directions.	
		Prior to felling actions are planned to include clearing of the area to permit safe working conditions and escape.	
		Employees must be trained in the safe operation of all equipment.	
		All equipment and machinery is inspected and determined safe prior to use.	

		Work is performed under requirements of FLD 43.			
		BLASTING			
		29 CFR 1926 Subpart U. EM 385-1-1, Section 29			
YES	NO	C	OMME	NT	•
		A blasting safety plan is developed prior to bringing explosives on-site.			
		The transportation, handling, storage, and use of explosives, blasting agents, and blasting equipment must be			
		directed and supervised by a person with proven experience and ability in blasting operations. Licensing of person is verified.			
		Blasting operations in or adjacent to cofferdams, piers, underwater structures, buildings, structures, or other			
		facilities must be carefully planned with full consideration to potential vibration and damage.			
		HAZARDOUS, TOXIC, AND RADIOACTIVE WASTE AND UNDERGROUND STORAGE TANK	(UST	) ACTIVITIES	
		29 CFR 1926 Subpart D. EM 385-1-1, Section 28			
YES	NO			COMMENT	
		All construction activities performed with known or potential exposure to hazardous waste are conducted in accordance with Hazardous Waste Operations and Emergency Response requirements.	ance		
		CONCRETE and MASONRY CONSTRUCTION			
		29 CFR 1926 Subpart Q. EM 385-1-1, Section 27			
YES	NO			COMMENT	
		Construction loads are not placed on a concrete or masonry structure or portion of a concrete or masonry structure		N	
		unless the employer determines, based on information from a person who is qualified in structural design, that the			
		structure or portion of the structure is capable of supporting the loads.  Employees are not permitted to work above or in positions exposed to protruding reinforcing steel or other impalen	nent		
		hazards unless provisions have been made to control the hazard.	ilesit.		
		Sections of concrete conveyances and airlines under pressure are secured with wire rope (or equivalent material) in	ì		
	ليا	addition to the regular couplings or connections.			
П	П	Structural and reinforcing steel for walls, piers, columns, and similar vertical structures is supported and/or guyed to	:o		
		prevent overturning or collapse All form-work, shoring, and bracing is designed, fabricated, erected, supported, braced, and maintained so it will sat	felv		
		support all vertical and lateral loads that may be applied until the loads can be supported by the structure.		·	
	П	Shoring equipment is inspected prior to erection to determine that it is specified in the shoring design. Any equipm	nent		
		found to be damaged is not used.			
		Erected shoring equipment is inspected immediately prior to, during, and immediately after the placement of concretance Any shoring equipment that is found to be damaged, displaced, or weakened is immediately reinforced or re-shored		•	
		Shoring, vertical slip forms and jacks conform with requirements of Section 27.B.08-13 of USACE EM 385-1-1.	u.		
	<u> </u>		-	· · · · · · · · · · · · · · · · · · ·	
	П	Forms and shores (except those on slab or grade and slip forms) are not removed until the individual responsible for forming and/or shoring determines that the concrete has gained sufficient strength to support its weight and all	or		
"		superimposed loads.			
		Precast concrete members are adequately supported to prevent overturning or collapse until permanent connection	is are		
		complete			
		No one is permitted under pre-cast concrete members being lifted or tilted into position except employees required the erection of those members.	tor		
		Lift slab operations are planned and designed by a registered engineer or architect.			
		Hydraulic jacks used in lift slab construction have a safety device that causes the jacks to support the load in any positif the jack malfunctions	sition		

C:\Documents and Settings\brownm\Local Settings\Temporary Internet Files\Content.Outlook\IU8ZWQYC\HASP Paguate DRAFT (2).docx

June 2009





4		
4	_	
٦		
	•	

	No one is permitted under the slab during jacking operations.	
	A limited access zone is established whenever a masonry wall is being constructed.	
	Fall protection is provided to masonry workers exposed to falls of 6 feet or more.	

# STEEL ERECTION 29 CFR 1926 Subpart R. EM 385-1-1, Section 27

YES	NO		COMMENT
		Impact wrenches have a locking device for retaining the socket. Containers shall be provided for storing or carrying rivets, bolts, and drift pins, and secured against accidental displacement when aloft.	
		Structural and reinforcing steel for walls, piers, columns, and similar vertical structures shall be guyed and supported to prevent collapse	
		No loading is placed upon steel joists until all bridging is completely and permanently installed.	
		Workers are provided fall protection whenever they are exposed to falls of 1.8 m (6 ft) or more (EM 385-1-1).	
		Temporary flooring in skeleton steel erection conforms with Section 27.F of USACE 385-1-1	

### ROOFING 29 CFR 1926 Subpart M. EM 385-1-1, Sections 21, 22, 24, 27

Yes	. No		Comments
		In the construction, maintenance, repair, and demolition, of roofs, fall protection systems is provided that will prevent personnel from slipping and failing from the roof and prevent personnel on lower levels from being struck by falling objects	
		On all roofs greater than 4.8 m (16 ft) in height, a hoisting device, stairways, or progressive platforms are furnished for supplying materials and equipment.	
		Roofing materials and accessories that could be moved by the wind, including metal roofing panels, that are on the roof and unattached are secured when wind speeds are greater than, or are anticipated to exceed, 10 mph.	·
		Level, guarded platforms are provided at the landing area on the roof.	
		When their use is permitted, warning line systems comply with USACE Section 27.07 of EM 385-1-1.	
		Workers involved in roof-edge materials handling or working in a storage area located on a roof with a slope -/= to four vertical to twelve horizontal and with edges 6 ft or more above lower levels are protected by the use of a guardrail, safety net, or personal fall arrest system along all unprotected roof sides and edges of the area.	



#### **ENVIRONMENTAL COMPLIANCE**

Yes	No		Comments					
		Environmental Compliance and Waste Management Plan on file.						
		Waste Determination Made.						
		Manifest and/or Shipping Papers prepared and filed.						
		Manifest Exception Reports Prepared, as necessary. Procedures to track manifests in place.						
		State Annual and EPA Biennial Reporting Information Available.						
		RCRA Personnel Training Records on file.						
		CAA Permits on file.						
		CWA Permits on file.						
		RCRA Permits on file.						
		State and/or Local Permits on file.						
		RCRA Inspections conducted and Documentation on file.						
		Transporter and TSD compliance information on file.						
		Waste Accumulation Areas Managed Properly.	·					
		Wetlands Areas Identified and Protected.						
		Endangered, Threatened or Special Concern Species or Areas Identified and Protective Methods Determined.						
		Runon and Runoff Concerns Identified and Managed.						
		Adjacent Land Areas Protected as Necessary.						
		Non-Hazardous Solid Wastes Managed Properly.						
		MISCELLANEOUS REGULATORY and POLICY COMPLIANCE						
Yes	No		Comments					
		Personnel Training Records for DOT Materials Handling on file.						
		Noise Control Issues Addressed and Managed.						
		Site Security Issues Identified and Managed.						
		Known Historical, Archeological and Cultural Resources Identified and Managed.						
		WESTON EHS Analysis Checklist In Use.						
		Safety Observation and Recognition Program in place.						
		Weekly EHS Report Card System in place.						
		Federal, State and Local Required Postings in place.						
		Site specific Lockout/Tagout Program is in place.						
		Site-specific Confined Space Program is in place.						
	$\top\Box$	Site Safety Officer filing system is in place and up to date.						

# ATTACHMENT K ENVIRONMENTAL PROTECTION AND SUSTAINABILITY PROGRAM IMPACT CHECKLIST

### ENVIRONMENTAL PROTECTION AND SUSTAINABILITY PROGRAM IMPACT CHECKLIST

#### PRE-PROPOSAL and EHS COMPLIANCE PLANNING

#### 1. BACKGROUND

- a. Client name, address, phone number, and Point of Contact:
- b. Name/Identifier of proposal, if applicable:
- c. Prepared by:

#### 2. DESCRIPTION

- a. Description, justification for, and location of Scope of Work in the proposal (i.e. training, activity, construction, regulation, license; include site location map):
- b. Environmental setting and present land use of the proposed site:

#### 3. KNOWN OR POTENTIAL EHS IMPACTS:

Note that this checklist cannot completely anticipate all regulatory requirements, and that use of this checklist outlines only certain Federal criteria of specific interest (it is by no means a complete listing). State and local requirements must be evaluated also.

- The Project Manager and Project Team are responsible for evaluating project-specific environmental, health and safety needs that may be beyond those outlined in this checklist.
- Assistance is available through the Division Environmental, Health, and Safety (EHS) Managers and Corporate EHS Department. Early engagement of EHS support is a key to success.
- \* "Yes" responses will require a plan to address a specific issue. "No" responses must be based upon specific knowledge. "Unknown" responses require appropriate follow-up for confirmation.

#### 3.1 Clean Air Act (CAA)

The basic purpose of the CAA is to control air pollution by instituting point source controls (fixed and/or mobile) and establishing maximum pollutant levels for the ambient air. Permits to construct and/or operate are required for sources that meet regulatory requirements. These sources include, but may not be limited to: major stationary sources, hazardous air pollution sources, and sources subject to new source performance standards.

Yes	No	Unknown	Criteria for Evaluation			
	General and Miscellaneous					
			Will the project release contaminants to the air from a new or existing source of air contaminants?			
			Does the project have the potential for deterioration of air quality?			
			Will there be the introduction of smoke, suspended particles, or noxious gases/vapors (e.g., open burning, open detonation, etc.)?			
			Will there be real or potential for particulate/dust migration beyond facility/site boundaries?			
			Will WESTON own or operate a source of air emissions (e.g., air stripper, incinerator, thermal desorption system, soil vapor extraction system, fuel tanks or dispensers, electric generators, turbines) or disturb land?			
			Will WESTON own or operate an air pollution control device (e.g., scrubber, vapor-phase activated carbon system)?			
			Is fugitive emissions and/or perimeter air monitoring specified in the scope of work?			
			Has client specified air monitoring methods or real-time monitoring?			
		Preventi	on of Significant Deterioration (PSD) Permits (40 CFR 52)			
			Is site within an attainment area? (See 40 CFR 81.301-356).			
			Will the project involve construction or operation of a new major source with the potential to emit more than 100 tons/year for those specific listed emissions sources or 250 tons/year for all other emission sources types or a major modification of an existing major source with pollutant emission increases exceeding Prevention of Significant Deterioration (PSD) rates? (see 40 CFR 52.21(b) and/or CAA Section 169).			
	Non-Attainment Permits (40 CFR 52)					
			Is site within a non-attainment area? (See 40 CFR 81.301-356). If known, indicate which criteria pollutant(s) are not met.			
			New Source Performance Standards (40 CFR 60)			
			Will the project involve the release of contaminants to the air from a new or modified non-exempt source?			
	NES	HAPS Sta	ndards for Air Toxics (40 CFR 61, 63) See also TSCA and OSHA			
			Will the project involve the demolition or renovation of any structure containing asbestos?			
			Will the project involve a stationary source or group of stationary sources with the potential to emit 10 or more tons/year of a single HAP, or 25 tpy or more of multiple HAPs?			
		Accide	ntal Release and Risk Management Planning (40 CFR 68)			
			Will the project involve storage and/or use of any chemical listed under 40 CFR 68.115 at or greater than its Threshold Planning Quantity (TPQ)?			
		r	Operating Permits (40 CFR 70, 71)			
			Will the project involve obtaining any permit as required under the CAA?			
	1	Redu	ction in Use of Ozone Depleting Substances (40 CFR 82)			
			Will site tasks involve repair, maintenance or decommissioning of objects containing ozone depleting substances (e.g., air conditioning/heat pump/refrigeration systems)?			

#### State-Specific Requirements

As with many environmental regulations, States may have specific and/or additional regulations and laws associated with air and air quality. Remember to evaluate State and/or Local requirements.

#### 3.2 Clean Water Act

The stated objective of the Act is to restore and maintain the chemical, physical, and biological integrity of the Nation's water by regulating discharges of pollutants into water bodies. Major requirements to plan for include; point source discharges, stormwater discharges, pretreatment prior to sewer system discharge, spill prevention and response, and wetland modification and/or dredge and fill activities.

Yes	No	Unknown	Criteria for Evaluation		
	General and Miscellaneous				
			Will the project location involve fresh water, marine environment, ground water impact or other?		
			Will the project involve impact to water movement (e.g., construction of dam)?		
			Will the project involve any change in the quantity and/or quality of ground water?		
			Is there any potential for spills of hazardous materials/substances/wastes that could subsequently impact water quality (surface or ground)?		
			Will the project involve any impact to wetlands or floodplains?		
			Is the project in a well head protection area?		
			Will there be any injection of waste materials into the ground?		
			Will unimproved roads or new haul roads be required?		
			Will the project involve the disruption, displacement or compaction of soil?		
			Will the project involve a change in topography at the site?		
			Will the project create an increase in wind or water erosion of soils (either on or off-site)?		
		N	PDES Point Source Discharge Permit (40 CFR 122)		
			Will the project involve a point source discharge into surface water?		
	Stormwater Discharge Permit (40 CFR 122.26)				
			Will the project involve an industrial facility with potential for stormwater discharges to surface water or to a storm sewer system?		
			Will the project involve the disturbance of one or more acres of land?		
			Pretreatment Requirements (40 CFR 403)		
			Will there be a discharge (e.g., process water, groundwater, cooling water) to a sewer authority or public sewer system? (Do not include proper connections from domestic-type sources such as toilets or kitchens).		
	Discharge of Oil and SPCC Plans (40 CFR 110, 112)				
			Will oil or petroleum products be stored at the site/operation?		
	·		Will the storage capacity of oil or petroleum products exceed 1320 gallons in above ground storage (include only containers equal to or larger than 55 gallons), or 42000 gallons underground?		
-	Wetlands Modification and/or Dredge and Fill Requirements (40 CFR 230-233)				
	we changs by outher don and/or lateuge and thi requirements (40 Cr R 250-255)				

Yes	No	Unknown	Criteria for Evaluation
			Will the project involve excavation in or the discharge or dredge or fill material into water or wetlands?
			Will the project involve site clearing, or dredging or filling on/near water or wetlands?

#### State Requirements

As with many environmental regulations, States have specific regulations and laws associated with water protection and quality. Remember to evaluate State and/or Local requirements.

#### 3.3 Safe Drinking Water Act (SDWA)

The SDWA regulates the quality of drinking water. Requirements typically relate to providing public drinking water, waste disposal in underground injection wells and establishing criteria for CERCLA remediation.

Yes	No	Unknown	Criteria for Evaluation	
	1	Public Wat	er Supplies and Drinking Water Standards (40 CFR 141-143)	
			Will WESTON be providing a drinking water supply to the public?	
			Will the project involve operating a public water supply system that has 15 or more services or serves more than 25 people per day for more than 60 days per year?	
	Sole-Source Aquifer Protection (40 CFR 149)			
			Will the project involve the discharge of contaminants onto or into areas classified as a sole-source aquifer?	
Underground Well Injection (40 CFR 144-148)				
			Will the project involve the placing of fluids into a bored, drilled, driven or dug well?	

#### **State Requirements**

In addition to compliance (and/or more restrictive) with above Federal criteria, States are responsible for implementing and enforcing well-head protection standards.

#### 3.4 Resource Conservation and Recovery Act (RCRA)

RCRA provides the classic "cradle-to-grave" concept for waste materials, i.e., management of the waste material from generation to final disposal. RCRA requirements apply to those who generate, transport, store and dispose of wastes. Permits and identification numbers may be required for all categories with limited exceptions.

Yes	No	Unknowi	i Criteria for Evaluation		
	Non-Hazardous Solid Wastes (40 CFR 257, 258)				
			Will WESTON or the site generate any non-hazardous solid wastes?		
	Universal Wastes (40 CFR 273)				
			Will WESTON, or the site generate any universal wastes?		
Hazardous Wastes Generation and Management (40 CFR 260-262)					

Yes	No	Unknown	Criteria for Evaluation		
			Will WESTON generate any hazardous wastes?		
			Will WESTON be responsible for managing hazardous wastes generated by the client?		
			Will site activities result in quantities that result in Conditionally Exempt Small Quantity Generator (CESQG), Small Quantity Generator (SQG), or Large Quantity Generator (LQG).		
			Has on-site accumulation of waste stream (areas, containers or other device) been evaluated?		
		Hazardou	s Waste Treatment and Disposal Permit (40 CFR 264-270)		
			Will on-site treatment of waste(s) be conducted?		
			If off-site disposal has TSDF been evaluated and accepted?		
			Will the project involve clean-up of hazardous waste or hazardous waste constituents from a RCRA-regulated facility?		
			Hazardous Waste Transportation (40 CFR 263)		
			Will WESTON be responsible for preparing hazardous wastes for transportation?		
			If transporting wastes, has transporter been evaluated and accepted?		
			Will WESTON sign manifest? If yes, as Generator or as "Agent" for client?		
		. 1	Underground Storage Tanks (USTs) (40 CFR 280)		
			Will WESTON activities involve the installation, use, maintenance, spill or release clean-up, or decommissioning of a UST storing petroleum or CERCLA-listed hazardous substance?		
	Used Oil (40 CFR 279)				
			Will site activities involve the generation, storage or transportation of used/waste oil?		
	Land Disposal Restrictions (40 CFR 268)				
			Will the project involve the generation of wastes meeting Land Disposal Restriction (LDR) criteria?		

#### **State Requirements**

Most States have primacy for both hazardous and non-hazardous solid waste; ensure knowledge of specific state requirements for such waste streams.

## 3.5 Comprehensive Environmental Response Compensation and Liability Act (CERCLA)

CERCLA provides a mechanism to clean up uncontrolled or abandoned contaminated sites and hold potentially responsible parties accountable for clean-up costs.

Yes No Unknown Criteria for Evaluation					
Release Reporting (40 CFR 300, 302)					
			Are any of the chemicals stored or used on site listed as a hazardous substance (40 CFR 302.4)?		

Yes.	No	Unknown	Criteria for Evaluation		
			Is there a potential for an unpermitted release of a hazardous substance to the environment in excess of its 24-hour Reportable Quantity (RQ)?		
	Remediation Efforts (40 CFR 300)				
			Are site remediation efforts under control of Federal Government?		
			Are site remediation efforts under control of a State or Local Government?		
			Are site remediation efforts under Private control?		

#### State Requirements

Many states have enacted Superfund-type programs. Although many are similar to the Federal program, others may have significant differences to include broader ranges of hazardous substances.

#### 3.6 Emergency Planning and Community Right to Know (EPCRA)

EPCRA established a process for developing state and local emergency planning and information programs on hazardous chemicals located at and/or emitted from facilities. Planning requirements apply to any facility that produces, uses or stores threshold quantities or more of any substance on the EPA list of extremely hazardous substances. There are also requirements for facilities that are required to maintain Material Safety Data Sheets (MSDSs) to notify the local fire department of those materials.

Yes	No	Unknown	Criteria for Evaluation				
	General						
			Will WESTON or WESTON subcontractor have chemicals on site?				
		`	Emergency Planning Notifications (40 CFR 355)				
			Do any of the chemicals used or stored on site meet the definition of a hazardous substance and meet or exceed the threshold planning quantity (TPQ) for that chemical or 500 pounds, whichever is lower? (See 40 CFR Part 355 Appendix A and B).  If inventory meets criteria (material and quantity) then reports to LEPC, local Fire Department, and SERC are required. (See 40 CFR 370.21).				
Emergency Release Notifications (40 CFR 370)							
			Is there the potential for a release of listed substances (see 40 CFR 355, Appendices A and B and 40 CFR 302) that could result in exposure to persons off-site?				
	Community Right to Know/Hazardous Chemical Inventory Reporting (40 CFR 370)						
. 🗆			At any point in time is any chemical in a quantity at or more than 10,000 pounds that requires an MSDS?				

#### State Requirements

There are specific reporting and documentation requirements under EPCRA for state and local entities.

### 3.7 Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA)

The purpose of FIFRA is to protect public health and the environment from the misuse of pesticides by regulating the labeling and registration of pesticides. In addition to data necessary for the registration of pesticides sold there are requirements for the certification of applicators of those pesticides listed as restricted use.

Yes	No	Unknown	Criteria for Evaluation			
	Labeling and Packaging Requirements (40 CFR 156, 157)					
			Does the project involve the use or application of pesticides?			
	Certification of Applicators (40 CFR 171)					
- 🗆			Is the use of a licensed pesticide applicator required (use of restricted use pesticides)?			

## 3.8 Toxic Substances Control Act (TSCA) see also OSHA requirements

Much of TSCA deals with the manufacture, use and distribution of chemicals in commerce with limited impact to WESTON. There are, however, management requirements (to include remediation and disposal efforts) for specific chemicals (most importantly lead-based paint, PCBs, and asbestos).

Note: A "Yes" will require an appropriate technical approach to address the toxic material and must be included within the project-specific HASP. A "No" will require appropriate documentation from the Client or their designee describing how this determination was reached. An "Unknown" will require follow-up and receipt of documentation prior to proceeding.

WESTON may conduct its own survey and analysis to resolve "No" and "Unknown" responses if necessary.

Yes	No	Unknow	Criteria for Evaluation		
			Lead-Based Paint (40 CFR 745)		
			Has the site been evaluated for the presence of lead or lead-containing materials?		
			Will the project involve the removal of lead-contaminated materials?		
	Polychlorinated Biphenyls (PCBs) (40 CFR 761)				
			Has the site been evaluated for the presence of PCBs or PCB-contamination?		
			Will the project involve the removal or handling of PCBs?		
	Asbestos (40 CFR 762)				
			Does the site or structures contain asbestos containing material (ACM)?		
			Will the project involve the disruption or removal of ACM?		

### 3.9 Natural Resources and the Endangered Species Act

The Endangered Species Act (ESA) was passed to designate and protect fish, wildlife and plant species that are endangered or threatened as well as designate critical habitat for those species. Compliance with the ESA is required within the context of this checklist for not only necessary permits (e.g., Stormwater), but, as a means of understanding the potential environmental impact of our work efforts.

Yes	No	Unknown	Criteria for Evaluation				
	General						
			Is the project site in an area identified as habitat for endangered, threatened or special interest species?				
			Will the project result in a change in the diversity or numbers of any species of plants or animals?				

Yes	No	Unknown	Criteria for Evaluation
			Will the project result in the reduction of numbers or habitat damage to any unique, rare, threatened or endangered species of plants or animals?
			Will the project result in the introduction of new species of plant or animal (including microbes, etc.)?
			Will the project result in any barrier(s) to the migration or movement of animals?
			Will the project result in any significant alteration, deterioration, or destruction of habitat?
			Will the project result in the alteration, destruction, or significant impact to any environmentally sensitive areas (e.g., wetlands, floodplains, critical habitat, prime farm land, coastal zones, etc.)?

Note that a location-specific understanding of the ESA is necessary for completion of applications relating to air quality permitting, stormwater permitting and potentially others.

#### 3.10 National Environmental Policy Act

The purpose of the National Environmental Policy Act (NEPA) is to encourage harmony between man and the environment, promote efforts to prevent or eliminate damage and stimulate the health and welfare of man, and to enrich the understanding of the ecological systems and natural resources that are important to the Nation. In context, NEPA requires federal agencies to prepare an environmental impact statement covering proposed actions that could significantly affect the quality of the human environment.

Yes	No	Unknown	Criteria for Evaluation		: 1	
			Gener	al		·
			Is the project a major Feder federal permit, receiving federal			

### 3.11 Noise (see also OSHA requirements)

The Noise Control Act promotes the policy that the environment is to be free of noise that jeopardizes health or welfare. While there are limited Federal/EPA regulations, there are State and Local regulations/ ordinances that are applicable to work tasks.

Yes	No	Unknown	Criteria for Evaluation
			General
			Will the project cause an increase in noise levels?
			Is the project site near sensitive receptor populations (e.g., residences, hospitals, schools, etc.)?
			Will site activities extend beyond typical daylight hours?
			Are there local noise ordinances in effect?
			Does the contract (or specifications) identify noise monitoring or other criteria?

## 3.12 Occupational Safety and Health (specifically 29 CFR 1910 and 1926)

The overall goal of the Occupational Safety and Health Act (OSH Act) is to assure that employees are not adversely affected to hazards that they may be exposed to in the course of employment. All work activities conducted by WESTON must comply with applicable components of the General Industry Standards, the Construction Standards, or the applicable requirements of Client-specific criteria (e.g., the Corps of Engineers).

Yes	No	Unknown	Criteria for Evaluation
			General
			Will project activities be conducted under OSHA Construction Standards?
			Will project activities be conducted under OSHA General Industry Standards?
			Will project activities be conducted under the requirements of EM 385-1-1 (USACE)?
			Does the client have any specific occupational/safety requirements for the site work?
			Will project activities be conducted under other standards?

Based upon site activities, location and tasks follow all applicable criteria outline in WESTON's Safety and Health requirements guidelines.

## 3.13 Transportation (specifically 49 CFR Parts 171-179, 383, 390-399)

Transportation in the context of this checklist typically relates to the transportation of hazardous chemicals. The Department of Transportation (DOT) has specific regulatory requirements that must be met if WESTON either conducts or oversees the preparation for transport or actual transportation of hazardous chemicals/materials designated by DOT.

Note: Security Plans are required for transporting hazardous materials in an amount that must be placarded, hazardous materials in a bulk packaging having a capacity equal to or greater than 3,500 gallons for liquids or gases or more than 468 cubic feet for solids, or a select agent or toxin regulated by the Centers for Disease Control and Prevention under 42 CFR Part 73. Contact your local Dangerous Goods Advisor for assistance.

Yes	No	Unknown	Criteria for Evaluation
			General
			Will site activities involve the transportation (or storage incidental to transportation) of hazardous materials?
			Will WESTON personnel be transporting hazardous materials (in any amount)?
		. 🗆	Will WESTON personnel be operating vehicles meeting the definition of a commercial vehicle?
			Will WESTON personnel be operating vehicles transporting a hazardous material in a placarded amount?

#### 3.14 Radiation

Various regulations under the auspices of the Nuclear Regulatory Agency (10 CFR) require specific procedures for the handling, training, storage and maintenance of nuclear materials.

Yes	No	Unknown	Criteria for Evaluation						
	General								
(For	r the foll	lowing ques	tions indicate whether these tasks are by WESTON, Subcontractor, Client or						
		·	Vendor.)						
			Will Radiation sources be used or present?						
			Will the project involve the transportation of radioactive material?						
			Will the project involve the storage of radioactive material?						
			Will the project involve the disposal of radioactive material?						
			Will the project involve the use or storage of a radioactive source (e.g., troxler gauge, XRF)?						
			Have users been properly trained and certified?						
			Are users operating under a radiation monitoring program?						
			Have rad licenses been transferred and/or the client notified of the presence of rad sources?						

Based upon site activities, location and tasks follow all applicable criteria outlined in WESTON's EHS Program.

#### 3.15 Historic/Archaeological

There are numerous Federal, State, Local and Tribal requirements outlining procedures to protect historic and cultural properties. These include those that exist as well as those that are discovered during work activities.

Yes	No	Unknown	Criteria for Evaluation
			General
			Is the site or project in an area that is of historic or archeological interest?
			Will the project result in alteration or destruction of an archeological or historical site, structure, object or building that is on or eligible for inclusion in the National Register of Historic Places?
			Will the project involve the excavation, altering, defacing, or removal of archaeological objects or resources or Native Indian graves, cairns, or glyptic records?

Note that a location-specific understanding of historic and archaeological issues is necessary for completion of applications relating to air quality permitting, stormwater permitting and potentially others.

#### 3.16 Miscellaneous

The following items are included based upon information that must be evaluated for certain WESTON work criteria, for certain sites e.g., real-estate transactions, military locations and for specific hazards.

Yes	No	Unknown	Criteria for Evaluation			
	General					
		1 1 1	Have subcontractors been screened by Procurement and an EHS Manager or Safety Officer?			
			Has a Client Services Manager (CSM), Project Manager (PM), or WESTON Officer engaged WESTON's Subcontractors using the Subcontractor Talking points?			

Yes	No	Unknown	Criteria for Evaluation
			Has a project Kick-off meeting been planned?
			Will a Safety Officer or an EHS Manager be involved in the kick-off meeting?
			Will the average work day including driving to and from the site exceed 12 hours?  If yes, there must be a plan for addressing driving safety and fatigue.
			Will project personnel be driving vehicles they are not familiar with? If yes, there must be a plan for addressing driving safety.
		Ö	Will there be work at elevation (greater than 4 foot difference in elevations between working levels, work from ladders, work from scaffolding, use of aerial lifts, floor openings, wall openings)?
			Will there be potential for struck by hazards (moving equipment, thrown or falling objects or material)?
			Will there be potential for being caught in (conveyors, power-take-off, screens, etc.) or between moving machinery?
			Will there be work with or within 10 feet of exposed electrical conductors?
			Are there overhead utilities?
			Are there underground utilities?
		. 🗆	Will the project add additional traffic volume or types (material or equipment haul trucks) that may require community approval or plans?
			Will there be a traffic control plan for off-site and on-site vehicles?
			Is the facility a military facility?
			Has the potential for UXO/MEC encounter been objectively evaluated?
			Will there be slip, trip and fall hazards
			Will there be repetitive and or heavy lifting?
			If demolition work has the demolition plan, engineering survey and required components been addressed?
			Are there OSHA Specific Standards applicable (asbestos, lead, cadmium, arsenic, hexavalent chromium, benzene, vinyl chloride, methylene chloride, butadiene, formaldehyde, dibromochloropropane?
			Will work be performed over or near water or boats?
			Will boats be used?
			Will Lifting Equipment and rigging be used?
		. 🗆	Is there a communication Plan for letting neighbors know of WESTON activities that may impact them?

#### 3.17 Real Estate and Tenant Issues

WESTON as an owner or operator assumes liability for actions or activities conducted by ourselves or by others (tenants). We must ensure compliance with Federal, State and Local requirements. The following outline major issues, however, as indicated previously for the EHS Checklist, it is not meant to be comprehensive. Remember, if we have tenants occupying portions of facilities that are under our control, we have an obligation to understand and assure compliance. For the following issues compliance may be by WESTON, by various tenants or a combination, ensure that each tenant is evaluated. Note that various components of the previous EHS Checklist sections may be appropriate.

Yes	No	Unknown	Criteria for Evaluation			
Air						
			Are boilers or other pressure vessels (e.g., chillers, air receivers) located			
			within our work space or at tenant locations?			
		<del>                                     </del>	Have they been certified and inspected?			
			Do emission sources (e.g., boilers, chillers, bulk oil storage, etc.) have proper registration (federal, state or local)?			
			Are tenants responsible for compliance with inspections and permits?			
			Is WESTON responsible for inspections and permits?			
		·	Occupancy and Other Permits			
П			Do Business Permits/Certificate of Occupancy Requirements: State, County, City/Municipality need to be addressed?			
			If yes, is WESTON responsible? and/or are tenants responsible?			
			Are Fire Code Inspections (e.g., materials storage, electrical, suppression systems) due?			
			Are Corrective Actions due from past inspections?			
	,		If yes, is WESTON responsible?and/or are tenants responsible?			
П		П	Are local permits and/or registrations for USTs or ASTs available or needed?			
	l		RCRA			
	<u> </u>		Is the facility a Hazardous Waste Generator?			
			If yes, what size?			
			Is WESTON responsible?			
			What is the waste stream?			
_			Do tenants generate Hazardous Wastes?			
			If yes, what quantity?			
			What is the waste stream?			
			Are appropriate permits available for waste generation?			
			Is facility and/or are tenants under litigation or regulatory action for non-compliance with RCRA?			
	r1	r1		Are USTs or ASTs on site?		
			If yes, what are type, size, contents			
			Have USTs been upgraded for overflow and spill control protection?			
····	<u> </u>		Water and Stormwater			
			Is a stormwater permit and plan necessary for the site?			
			Is a NPDES and/or local discharge permit necessary for the site?			
			EPCRA			
	T		Do any of the chemicals used or stored on site meet the definition of a			
			hazardous substance and meet or exceed the threshold planning quantity			
[ F-3 ·			(TPQ) for that chemical or 500 pounds, whichever is lower? (See 40 CFR Part			
				355 Appendix A and B).		
			If inventory meets criteria (material and quantity) then reports to LEPC, local Fire Department and SERC required. (See 40 CFR 370.21).			
			Is WESTON responsible for compliance?			

Yes	No	Unknown	Criteria for Evaluation		
			Are Tenants responsible for compliance?		
			SPCC and Oil		
			Will oil or petroleum products be stored at the site/operation?		
			Will the storage capacity of oil or petroleum products exceed 1320 gallons in above ground storage (include only containers equal to or larger than 55 gallons), or 42000 gallons underground?		
			Is WESTON responsible for compliance?		
			Are Tenants responsible for compliance?		
	Compliance				
			Is the site under enforcement action for regulatory non-compliance?		
			Is any Tenant under enforcement action for regulatory non-compliance?		

#### 3.18 Explosives

Various regulations under the auspices of the Bureau of Alcohol, Tobacco, Firearms and Explosives (BATFE), 27 CFR Part 55 – Commerce in Explosives and 27 CFR Part 55 the Safe Explosives Act, require specific procedures for the purchase, use, storage, handling and sale of explosives or explosive containing items. Attention to these questions will help to manage our risk when developing projects that may involve explosives or munitions.


Yes	No	Unknown	Criteria for Evaluation					
	General							
			Will the project involve the handling or use of explosives or munitions that are either new or recovered (e.g. dynamite, military munitions, UXO, detonating cord, TNT, etc.)?					
			Will the project involve the storage of explosives?					
			Will the project involve the transportation of explosives?					
			Have project personnel been cleared by BATFE as either a Possessor or Responsible Party to handle explosives?					
			Will the project require a State Licensed Blaster?					
			Will WESTON's Explosives Users Permit be required to execute the project? If yes, has the UXO Service Line Manager been notified?					

#### 3.19 Sustainability

There are a wide range of options for integrating sustainability into the execution of projects, far beyond what can be incorporated into this checklist. The following are a few broad questions which are designed to stimulate thinking about how sustainable approaches could be utilized throughout project execution. A checklist of credits used in evaluating projects for LEED (Leadership in Energy and Environmental Design) could be used here in addition to the checklist below. Inclusion of an employee who is LEED AP Certified in the development of the work plan could help add other considerations, such as sustainable sites and efficient materials and resources. See the WESTON Sustainability Portal http://westonportal/sites/sustainability/default.aspx for further details.

Yes	No	Unknown	Criteria for Evaluation					
	General							
			Are there opportunities to reduce travel-related energy and environmental impacts associated with the project through such techniques as carpooling, use of videoconferencing, telecommuting or utilization of local personnel?					
			Has consideration been given to the potential for beneficial reuse or recycling of materials that will be excavated, removed or discarded during project execution?					
			Are there opportunities to utilize alternative or renewable energy on the project, through applications such as photovoltaics (solar) or wind power for remote sensing and/or trailer power, or alternative fuel (e.g. biodiesel) for fleet vehicles or equipment?					
			Have "green" considerations been integrated into the procurement process for materials and or equipment (e.g. recycled content, energy efficiency, recyclability, minimal packaging)?					
. 🗆			Are there opportunities to increase energy or water efficiency in the execution of the project through selection of appropriate equipment or technical approaches?					
			Are there opportunities to offset some of the environmental impacts of the project through purchase of carbon credits, renewable energy credits or wetlands banking?					
	·□		Could a Community Partnering/Make-a-Difference event be coordinated or integrated with this project?					

EHSTrack HOME



PERSONNEL DIVISION/OFFICE TRAINING REPORTS ADMIN

**Manage Personnel** 

<< Back

#### PERSONNEL PAGE

Name: Luetke, Melinda Suzanne

EHS Track Personnel ID: 16391

Employee ID: 019885

Active?: Yes

H&S Offices and Groups: DTX

Location Code: DTX

OU: 1460

#### Training (One-Time and Initial)

Course Name	Completed On	PDF
40-Hour Hazardous Waste Operations & Emergency Response Training Course (Local)	1/24/2008	
8-Hour Site Manager and Supervisor Training Course	9/11/2009	
Bloodborne Pathogens Training Course Initial	10/2/2009	2
Shipping and Transporting Dangerous Goods - Admin/Field Personnel Initial	10/9/2009	

#### Training (Refresher)

Course Name	Expiration Date	PDF
4 Hour Radiation Protection	9/30/2010	None
Nour HAZWOPER Refresher (Local) Refresher	5/19/2010	包
Note: A contract of the second secon	10/1/2010	乜
AED Refresher	10/21/2011	None
Bloodborne Pathogens Training Course Refresher	10/1/2010	
CPR	10/21/2011	None
First Aid	10/21/2011	None

#### Fit Tests

Mask Type	Model	Size	Test Type	Expiration Date	PDF
Full Face	AV 3000	S	QNFT	10/7/2010	
ŧ .	Draeger Panorama Nova	0	QNFT	10/7/2010	
	MSA Ultra-Twin II	S	QLFT	8/31/2010	

#### **Medical Clearances**

Medical Clearance	Exam Type	Expiration Date	PDF
HazWaste/Field	Baseline	9/27/2011	
Respirator: NPR (APR)	Baseline	9/27/2011	7
Respirator: SAR/PAPR	Baseline	9/27/2011	包
Respirator: SCBA	Baseline	9/27/2011	

#### **Drug and Alcohol Tests**

-	Drug/Alcohol Test Description	Drug/Alcohol	Test Date	PDF	
1	5 Panel SAMHSA/Federal	Drug	7/27/2009		
- 1	Client Required: Other	Drug	2/4/2010	7	

#### nmunizations

No data to display.

#### **Other Tests**

No data to display.

Public Personnel Notes (e.g., sched tests, exams...)

No data to display.

I want to update Non-WESTON Personnel Info

I want to update Training Records

I want to update which Refresher Courses must be kept current

I want to update Fit Test Records

I want to update which Fit Tests must be kept current

I want to update Personnel Exam Results

I want to update which Medical Clearances must be kept current

I want to view Full Medical History by Exams

I want to view Full Medical History by Clearances

I want to update Drug/Alcohol Test Records

I want to view PDFs, update Immunization Records

I want to update which Immunizations must be kept current

I want to update Other Test Results

I want to update Public Personnel Notes


I want to view Industrial Hygiene Records



For assistance, to request information or to provide comments about this site, send us an email

Corporate Environmental Health and Safety (CEHS)

EHSTrack HOME



PERSONNEL DIVISION/OFFICE TRAINING REPORTS ADMIN

**Manage Personnel** 

<< Back

#### **PERSONNEL PAGE**

Name: Gomez, Tori L.

EHS Track Personnel ID: 15738

Employee ID: 019400

Active?: Yes

H&S Offices and Groups: ATX

Location Code: DTX

OU: 1620

#### Training (One-Time and Initial)

Course Name	Completed On	PDF
40-Hour Hazardous Waste Operations & Emergency Response Training Course	2/22/2008	图
8-Hour Site Manager and Supervisor Training Course	1/15/2009	
Behavior Based Safety - Phase I	1/16/2009	
Bloodborne Pathogens Training Course Initial	2/5/2009	
Defensive Driving CD	3/4/2008	None
Defensive Driving Classroom Instruction Initial	2/11/2008	· 2
Employee Orientation	2/4/2008	None
rgonomic Awareness (OSHA eTools or Equivalent) One-Time	9/18/2009	None
rgonomic Workstation Evaluation Initial	4/15/2008	None
Flint Hills Permit Training Initial	2/27/2009	
Hazardous Waste Management and Shipping for Environmental Professionals	2/6/2008	7
Shipping and Transporting Dangerous Goods - Admin/Field Personnel Initial	3/25/2009	团
Underground Utilities Competent Person Training	1/16/2009	团

#### Training (Refresher)

Course Name	Expiration Date	PDF
8-Hour HAZWOPER Refresher Training Course	1/28/2011	
Bloodborne Pathogens Training Course Refresher	1/28/2011	包
CPR	1/15/2011	团
Ergonomic Workstation Evaluation Refresher	9/18/2010	None
First Aid	2/9/2011	团

#### **Fit Tests**

Mask Type	Model	Size	Test Type	Expiration Date	PDF
Full Face	Draeger Panorama Nova	S	QNFT	. 7/2/2010	团
Full Face	MSA Ultra-Twin II	S	QLFT	7/2/2010	包
Full Face	Scott AV-3000	S	QNFT	7/2/2010	

#### **Medical Clearances**

Medical Clearance	Exam Type	Expiration Date	PDF
BioMedical Activity - DAILY COLLECTION	Periodic	1/30/2011	
oMedical Activity - RESPONSE	Periodic	1/30/2011	
azWaste/Field	Periodic	1/30/2011	D
Normania di dan manamania di mangang m	1		

Respirator: NPR (APR)	Periodic	1/30/2011	
Respirator: SAR/PAPR	Periodic	1/30/2011	乜
Respirator: SCBA	Periodic	1/30/2011	2

**Drug and Alcohol Tests** 

Drug/Alcohol Test Description	Drug/Alcohol	Test Date	PDF
5 Panel Non-SAMHSA	Drug	2/1/2008	包

Immunizations	
	No data to display.

#### **Other Tests**

No data to display.	- 1

Public Personnel Notes (e.g., sched tests, exams...)

No data to display.


#### I want to view Industrial Hygiene Records



For assistance, to request information or to provide comments about this site, send us an

Corporate Environmental Health and Safety (CEHS)





PERSONNEL DIVISION/OFFICE TRAINING REPORTS ADMIN

**Manage Personnel** 

<< Back

#### PERSONNEL PAGE.

Name: Beavis, James L.

EHS Track Personnel ID: 16153

Employee ID: 019739

Active?: Yes

H&S Offices and Groups: DTX

Location Code: DTX

OU: 1460

#### Training (One-Time and Initial)

Course Name	Completed On	PDF
30-Hour Construction Safety and Health Training Course	12/18/2009	7
40-Hour Hazardous Waste Operations & Emergency Response Training Course	10/7/2005	None
40-Hour Hazardous Waste Operations & Emergency Response Training Course (Local)	10/7/2005	包
8-Hour Site Manager and Supervisor Training Course	1/15/2009	· 包
Behavior Based Safety - Phase I	1/16/2009	世
Excavation & Trenching Competent Person	12/18/2009	
Fall Protection Competent Person Initial	12/17/2009	7
eet Defense Alert Driving Training Initial	1/22/2009	团
Hazardous Waste Management and Shipping for Environmental Professionals	2/5/2009	7
Underground Utilities Competent Person Training	1/16/2009	

#### Training (Refresher)

Course Name	Expiration Date	PDF
8 Hour HAZWOPER Refresher (Local) Refresher	10/16/2009	
8-Hour HAZWOPER Refresher Training Course	10/1/2010	1
AED Refresher	10/21/2011	None
Bloodborne Pathogens Training Course Refresher	10/1/2010	包
CPR .	10/21/2011	7
First Aid	10/21/2011	团

#### **Fit Tests**

Mask Type	Model	Size	Test Type	Expiration Date	PDF
Full Face	AV 3000	S	QNFT	1/7/2011	
Full Face	Draeger Panorama Nova	0	QNFT	1/7/2011	
Full Face	MSA Ultra-Twin II	М	QLFT	1/7/2010	7

#### **Medical Clearances**

Medical Clearance	Exam Type	Expiration Date	PDF
BIOMedical Activity - DAILY COLLECTION	Periodic	12/22/2011	
BioMedical Activity - RESPONSE	Periodic	12/22/2011	7
CMV- more than 10,001# but less 2,6001#	Periodic	12/22/2011	
azWaste/Field	Periodic	12/22/2011	1
Someonic consequences and the second control of the second control			

Respirator: NPR (APR)	Periodic .	12/22/2011	乙
Respirator: SAR/PAPR	Periodic	12/22/2011	
espirator: SCBA	Periodic	12/22/2011	乜

#### **Drug and Alcohol Tests**

Drug/Alcohol Test Description	Drug/Alcohol	Test Date	PDF
5 Panel Non-SAMHSA	Drug	12/16/2008	②
Client Required: Other	Drug	11/17/2009	

#### **Immunizations**

Immunization	Occurred	Follow-up Date	Frequency Type
Chicken Pox	Yes		One Time
Hep B: Dose 1	10/07/2005		Multi Dose
Hep B: Dose 2	The state of the s	Next Due on 11/06/2005	Multi Dose
Hep B: Dose 3		Next Due on 04/05/2006	Multi Dose
MMR-Adult	Yes		One Time
TB (Tuberculosis Screening)	03/03/2006	Expires on 03/03/2007	Periodic
Tetanus/Diphtheria	12/22/2009	Expires on 12/22/2019	Periodic

#### **Other Tests**

No data to display.

Public Personnel Notes (e.g., sched tests, exams...)

No data to display.

I want to update Non-WESTON Personnel Info

I want to update Training Records

I want to update which Refresher Courses must be kept current

I want to update Fit Test Records

I want to update which Fit Tests must be kept current

to update Personnel Exam Results

to update which Medical Clearances must be kept current

nt to view Full Medical History by Exams

I want to view Full Medical History by Clearances

I want to update Drug/Alcohol Test Records

I want to view PDFs, update Immunization Records

I want to update which Immunizations must be kept current

I want to update Other Test Results


I want to update Public Personnel Notes

I want to view Industrial Hygiene Records



For assistance, to request information or to provide comments about this site, send us an email

Corporate Environmental Health and Safety (CEHS)



EHSTrack HOME

PERSONNEL DIVISION/OFFICE TRAINING **REPORTS** ADMIN

**Manage Personnel** 

<< Back

#### **PERSONNEL PAGE**

Name: Klein, Donna

EHS Track Personnel ID: 4715

Employee ID: 018715

Active?: Yes

H&S Offices and Groups: STX

Location Code: STX

OU: 1641

#### Training (One-Time and Initial)

Course Name	Completed On	PDF
40-Hour Hazardous Waste Operations & Emergency Response Training Course	10/20/2006	7
Behavior Based Safety - Phase I	10/4/2007	
Defensive Driving Classroom Instruction Initial	9/12/2006	

#### Training (Refresher)

Course Name	Expiration Date	PDF
B-Hour HAZWOPER Refresher Training Course	11/18/2010	包
Bloodborne Pathogens Training Course Refresher	11/18/2010	团
rgonomic Workstation Evaluation Refresher	7/7/2010	

#### t Tests

No data to display,	•	i

#### **Medical Clearances**

	No data to disi	alav		
		Jiay.		

#### **Drug and Alcohol Tests**

Drug/Alcohol Test Description	Drug/Alcohol	Test Date	PDF
5 Panel Non-SAMHSA	Drug	10/20/2005	

#### **Immunizations**

No data to displa	V.		

#### Other Tests

		No data to di	splay.
			-p.wy.

#### Public Personnel Notes (e.g., sched tests, exams...)

#### No data to display.

#### I want to view Industrial Hygiene Records



For assistance, to request information or to provide comments about this site, send us an Corporate Environmental Health and Safety (CEHS)



U.S. Department of Health and Human Services

Page 1 of 3

www.hhs.gov



The Federal Health Program for American Indians and Alaska Natives

<del>Search</del> ihs gov



**IHS Home** 


**IHS Area Offices** 



#### Home

Service Units:

Acoma-Canoncito -Laguna Albuquerque Jicarilla Mescalero Santa Fe Southern Colorado Ute Ysleta Del Sur Zuni-Ramah





### Acoma-Canoncito-Laguna Service Unit

The Acoma-Canoncito-Laguna (ACL) Service Unit serves the three Tribal groups in the immediate area: the Acoma Pueblo (population 3,500), the Laguna Pueblo (5,500) and the Canoncito Navajos (1.100).

The Acoma-Canoncito-Laguna Service Unit consists of the ACL Hospital in Acomita, and health centers at Laguna and Canoncito. The hospital provides

general medical, pediatric, and obstetric inpatient care with 25 beds. ACL also houses a Dialysis Unit and the New Sunrise Regional Treatment Center, a residential program for adolescents.

The hospital offers a full range of outpatient and dental services as well as several speciality clinics, utilizing a combination of direct and contract services. Full diagnostic and treatment facilities support outpatient care. Well-baby, diabetic, prenatal and general medical clinics are scheduled weekly.

The field health program consists of health services that include health education, public health nursing, social services, nutrition, school health programs, environmental health, and alcohol and substance abuse services.

In each setting a number of health professionals, in close cooperation with community members, use the team approach to health care delivery. This partnership for health approach has contributed positively to the well-being of the community.

In order to encourage the young people to become interested in pursuing health careers, hopefully to return to practice in their communities, ACL is currently concentrating on incorporating educational activities that make the groundwork subjects fun, starting at an early age. Also reflecting ACL's commitment to the communities it serves is the active participation of each medical officer in a community project of their choice.

#### **Health Care Team**

Clinical Psychologists **Dental Assistants Dentists** Dieticians Health Care Team Health Educators

Laboratory Technologists Pharmacists & Technicians Medical Records Staff

Nurses Nutritionists Optometrists. Physicians<sup>3</sup>

Physician Assistants Mental Health Technicians Public Health Nurses Radiology Technicians Social Workers.

West central New Mexico, where the great mesas are the boldest and most beautiful, is the home of the ACL Service Unit, stretching out into rolling pasture lands studded with rock outcroppings and pinon, and bordered by the Cibola National Forest. The climate is semi-arid, offering mild winters and dry summers. Close-by Grants, a uranium boomtown, sits on black volcanic rock fields under



sacred Mt. Taylor. This long-extinct volcano is clearly visible 67 miles away in



Albuquerque, and provides great outdoor recreation. Bluewater and Acomita Lakes and Cibola extend the possibilities, including fishing, hunting, camping, hiking and picnicking. Also within easy driving distance: El Morro National Monument, site of Inscription Rock with its graffiti dating back to prehistoric times; Chaco Canyon, a 1000 year old village; massive Bandera Crater, formed when its volcano

erupted eons ago and next-door Ice Caves, always frozen a few feet below the surface. beautiful Enchanted Mesa is the legendary home of the ancestral Acomas. For nightlife and shopping, Albuquerque and Grants are both easily accessible, in addition to the several general stores, laundry and other facilities on the ACL reservations. 40 staff housing units are available adjacent to the hospital. Other possibilities are rental of housing or mobile home space from the tribes or daily commuting from Grants or Albuquerque.

The Acoma-Canoncito-Laguna Service Unit serves three Tribal groups in the immediate area: the Acoma Pueblo (population 3,500), the Laguna Pueblo (5,500) and the Canoncito Navajos (1,100). Total land owned by all three tribes equals approximately 740,00 acres.


Acoma is one of the oldest of the pueblos, continuously occupied since 1075. "Sky City", the ancient Acoma, sits atop a 400' mesa, long speculated to be due to the location's defensibility.

Laguna Pueblo's name means "Village by the Lake", although the lake is long gone. On the topic of names, "pueblo" was given by the Spanish explorers to the Indian groups they found living in well-developed communities, because they reminded the Spanish of the villages of their homeland. These groups built multistory structures around a central plaza, along rivers and streams that supported farming and allowed them to build well-ordered and complex societies, maintained to this day.

The Canoncito Navajos, a tribe of the extensive Navajo Nation and originally nomadic, are now primarily stockmen and farmers, as are many of the pueblo people.

#### Partnership for Health

The partnership between the Acoma-Canoncito-Laguna Service Unit and the tribes it services is the key to their success in identifying the health problems of the community and then working to resolve them. This process began many years ago in a meeting between ACL and tribal medicine men. It was pointed out then that the Indian people had a long history of natural therapeutic care; one based the prevention of illnesses and that took the whole person and his community into account. With the introduction of modern health care services, attitudes changed. The people went to facilities for solutions to health problems already well established, treating symptoms rather than causes. Today, there has been a return



to many of the traditional, more integrated approaches to healing, resulting in a much higher level of health.

As the hospital was being built, there was a request by the local tribes to have this particular room built. It is designed to resemble a Navajo hogan and provides easy access for both patients and traditional healers. The main door faces east and in the center of the room on the floor is an open pit-like area that goes directly to the earth below. There is a fireplace, as in most Pueblo homes, and a rook which resembles that of a hogan. An Indian nurse and architect were part of a committee which was instrumental in getting this built. Outpatients truly appreciate the fact that this room exists for their traditional medical use.

**Contact Information** 

Acoma-Canoncito-Laguna Service Unit P.O. Box 130 San Fidel, N.M. 87049

Phone: (505) 552-5300 Dental Clinic: (505) 552-5310

**BACK TO TOP** 



 $\underline{Accessibility} \cdot \underline{Disclaimer} \cdot \underline{Website\ Privacy\ Policy} \cdot \underline{Freedom\ of\ Information\ Act} \cdot \underline{Kid's\ Page} \cdot \underline{Contact}$ 



Indian Health Service (HQ) - The Reyes Building, 801 Thompson Avenue, Ste. 400 - Rockville, MD 20852

